

Installation of Apache OpenMeetings 5.0.0-M4 on CentOS 8

This tutorial is made based on fresh installations of

CentOS-8-x86_64-1905-dvd1.iso

My sincere thanks to Maxim Solodovnik for his help, without which i could not have finished this tutorial satisfactorily.

It is made step by step.

Starting...

1)

We access to terminal as root::

su

....will ask for root password.

Install nano editor:

yum install -y nano

Add our user system to sudoers, so can use sudo:

nano /etc/sudoers

...copy and paste replacing user by your real user system name:

user ALL=(ALL:ALL) ALL

...press in the keyboard Ctrl+x, will ask to save, press Y, and press Enter to exit nano editor.

Now will change the selinux configuration, enforcing to permissive:

nano /etc/selinux/config

...modify:

SELINUX=enforcing

...to

SELINUX=permissive

...press in the keyboard Ctrl+x, will ask to save, press Y, and press Enter to exit nano editor.

Update the system:

yum update -y

...and reboot the machine to get effect the changes. After reboot please continue at step 2:

reboot

2)

----- ADD Repos ------

sudo yum install -y wget

EPEL:

sudo yum install https://dl.fedoraproject.org/pub/epel/epel-release-latest-8.noarch.rpm

RPMFusion

sudo yum install https://download1.rpmfusion.org/free/el/rpmfusion-free-release-8.noarch.rpm

3)

----- Installation of OpenJava -----

Java 11 is necessary for OpenMeetings 5.0.0-M4. So we install OpenJava 11:

sudo yum install -y java-11-openjdk-devel

Maybe you have installed various versions of Java. Please select the just installed OpenJava 11: sudo update-alternatives --config java

And to see if the selected version is active:

java -version

4)

----- Installation of LibreOffice ------

OpenMeetings will need LibreOffice to convert to pdf the uploaded office files. Install it.

cd /opt

(Only one line without space between both)

sudo wget ftp://mirror.7he.at/pub/tdf/libreoffice/stable/6.3.3/rpm/x86_64/LibreOffice_6.3.3_Linux_x86-64_rpm.tar.gz

sudo tar -xvf LibreOffice_6.3.3*

cd LibreOffice_6.3.3.2*

sudo yum localinstall RPMS/*.rpm

cd /opt

----- Installation of Ghostscript, necessary packages and libraries -----

Will install packages and libraries we'll need later:

(Only one line with space between each one of them)

sudo yum install -y libjpeg libjpeg-devel freetype freetype-devel unzip gcc gcc-c++ ncurses ncurses-devel make zlib zlib-devel libtool bison openssl-devel bzip2 bzip2-devel file-roller git autoconf automake pkgconfig nmap vlc

We acces to terminal as root:

su

...will ask for root password.

With a script we should compile Ghostscript 9.27, free of security hole:

cd /opt

wget https://cwiki.apache.org/confluence/download/attachments/27838216/ghostscript.sh

chmod +x ghostscript.sh

...and run it:

./ghostscript.sh

...when be finished will announce it: GhostScript compilation is Finished!

rm -Rf /opt/ghostscript-9.27

6)

----- Installation ImageMagick and Sox -----

ImageMagick, work the images files jpg, png, gif, etc. We install it and some libraries:

yum install -y ImageMagick giflib

Sox, work the sound. Will compile it:

5)

wget http://ftp.icm.edu.pl/packages/sox/14.4.2/sox-14.4.2.tar.gz

tar xzvf sox-14.4.2.tar.gz

cd /opt/sox-14.4.2

./configure

make && make install

cd /opt

7)

----- Compilation of FFmpeg ------

FFmpeg work with video. Will install a paquets, libraries and vlc to play the recordings:

(Only one line with space between each one of them)

yum install -y glibc alsa-lib-devel faad2 faad2-devel gsm imlib2 imlib2-devel vorbis-tools theora-tools autoconf automake cmake freetype-devel gcc gcc-c++ git libtool make mercurial pkgconfig zlib-devel curl

This ffmpeg compilation is based on this url:

https://trac.ffmpeg.org/wiki/CompilationGuide/Centos

I made a script to compile and install ffmpeg on CentOS. It is tested and is ok. The result of any recording we do in OpenMeetings will be in mp4 format.

When is finished, will appear a text:

FFmpeg Compilation is Finished!

So, we download the script:

cd /opt

wget https://cwiki.apache.org/confluence/download/attachments/27838216/ffmpeg_centos8.sh

...concede execution permission to it:

chmod +x ffmpeg_centos8.sh

...and run it. The compilation will spend about 30 minutes:

./ffmpeg_centos8.sh

All the compiled files will be installed at: /usr/local/bin

8)

----- Installation of MariaDB data server -----

Exit as root:

exit

MariaDB is the database server. We install it:

sudo yum install -y mariadb-server

...and run mariadb:

sudo systemctl start mariadb.service

Give a password to mariadb root . Please, modify new-password by your own:

sudo mysqladmin -u root password new-password

Make a database for OpenMeetings. User password must be of 8 digits minimum:

sudo mysql -u root -p

...will ask for the root password you does just now:

MariaDB [(none)]> CREATE DATABASE open504 DEFAULT CHARACTER SET 'utf8';

Now we create a user with all permission on this open504 database.

(Only one line with space between both)

MariaDB [(none)]> GRANT ALL PRIVILEGES ON open504.* TO 'hola'@'localhost' IDENTIFIED BY 'la2B3c4D' WITH GRANT OPTION;

* open504name of the database
* hola user for that database
* 1a2B3c4D password of that user

"you can change the data...but remember it! Later we'll need it. Now we exit MariaDB:

MariaDB [(none)]> quit

9)

------ Installation of OpenMeetings ------

We'll install OpenMeetings in /opt/open504. All the following information will be based on this directory:

cd /opt

...download the OpenMeetings file:

(Only one line without space between both)

 $sudo wget \ http://archive.apache.org/dist/openmeetings/5.0.0-M4/bin/apache-openmeetings-5.0.0-M4$

sudo tar xzvf apache-openmeetings-5.0.0-M4.tar.gz

...and rename the obtained folder:

sudo mv apache-openmeetings-5.0.0-M4 open504

Download and install the connector between OpenMeetings and MariaDB:

(Only one line without space between both)

sudo wget https://repo1.maven.org/maven2/mysql/mysql-connector-java/8.0.19/mysql-connector-java-8.0.19.jar

...and copy it to where must be:

sudo cp /opt/mysql-connector-java-8.0.19.jar /opt/open504/webapps/openmeetings/WEB-INF/lib

10)

```
----- Script to launch Tomcat-OpenMeetings ------
```

We'll download the script to run tomcat-OpenMeetings:

cd /opt

sudo wget https://cwiki.apache.org/confluence/download/attachments/27838216/tomcat3

...copy it to where must be:

sudo cp tomcat3 /etc/init.d/

...concede execution permission:

sudo chmod +x /etc/init.d/tomcat3

If you made the installation in any other path to /opt/open504, please edit the script and modify the line:

CATALINA_HOME==/opt/open504

...to

 $CATALINA_HOME == /your-path-installation$

11)

----- Run Tomcat-OpenMeetings ------

Restart MariaDB:

sudo systemctl restart mariadb.service

...and run tomcat-OpenMeetings:

sudo /etc/init.d/tomcat3 start

...wait a minimum of 40 seconds in order tomcat run completly. Then, go with your browser to:

https://localhost:5443/openmeetings/

...there will appear a page similar to this one:

OpenMeetings - Installation	1
1. Enabling impo	ort of PDFs into whiteboard
	cript on the server, you can get more information on http://pages.cs.wisc.edu/~ghost/ regarding installation. The instructions for installation can , however on most linux systems you can get it via your favorite package managers (apt-get it).
lf you have further qu	lestions or need support in installation or hosting:
Community-Support:	
Mailing lists	
Commercial-Support	
Commercial-Support	

...push on "Next >" (bottom), and will show the default database configuration with H2, but we employ MySQL (MariaDB):

OpenMeetings - Installation		
	DB config	guration
Recommendation for product	tion environment	
By default OpenMeetings uses the integrate	ed H2 database. For production environment you should consider using MySQL, PostgreSql, IBM DB2, MSSQL or O	racle
	n and 'strong' password with length 8 characters or more.	
Choose DB type		
Choose DB type Specify the name of the database	Jomdb	
	Jomdb	CHECK

...so, scroll and "Choose DB type" to MySQL:

Pag	9
-----	---

OpenMeetings - Installation		
		DB configuration
Recommendation for produc	tion environment	
y default OpenMeetings uses the integra	ted H2 database. For production environment	ou should consider using MySQL, PostgreSql, IBM DB2, MSSQL or Oracle
NOTE Please use unpredictable DB lo	gin and 'strong' password with length 8 charact	ers or more
Choose DB type	MySQL ÷	
Specify DB host	localhost	
Specify DB port	3306	
Specify the name of the database	openmeetings	
	openineeungs	
Specify DB user		
Specify DB password		
		CHEC

Here we must introduce the database name, user name and his password we did at the step 8:

Specify the name of the database	=	open504
Specify DB user	=	hola
Specify DB password	=	1a2B3c4D

Please, press "Next >" button and will go to:

OpenMeetings - Installation		
		Userdata
Username		
Userpass		
EMail		
User Time Zone	Europe/Madrid 🗢	
		Group(Domains)
Name		

Here, we must introduce a user name for OpenMeetings, and his password. This must have 8 digits minimum, and at least 1 special symbol like: +(% # ! ... etc.)

Username	=	a-namethis user will be administrator.
Userpass	=	a-password for the previous user.
Email	=	email-adress of the previous user.
User Time	Zo	ne = country where is this server
Name	=	example-openmeetingsgroup name to choose.

Press the button "**Next** >" and will lead us to a new page (below) where you can select the language for your OpenMeetings server, as well as other options such as the configuration of the mail server being used to send invitations or meetings from OpenMeetings:

DpenMeetings		
OpenMeetings - Installation		
Configuration		
Allow self-registering		
Send Email to new registered Users		
New Users need to verify their EMail		
Default DB objects of all types will be created (including Rooms, OAuth2 servers etc.)		
Mail-Referer	noreply@openmeetings.apache.org	
SMTP-Server	localhost	
SMTP-Server Port(default Smtp- Server Port is 25)	25	
SMTP-Username		
SMTP-Userpass		
Enable TLS in Mail Server Auth		
Set inviter's email address as ReplyTo in email invitations		
9		
Default Language	English +	
< PREVIOUS NEXT > LAST FINIS	4	
		1

A valid example to configure the mail server with Gmail, is as follows:

(replace john@gmail.com with your real Gmail account)

Mail-Refer	==	john@gmail.com
SMTP-Server		smtp.gmail.com
SMTP-Server Port (default Smtp-Server Port is 25)		587
SMTP-Username	==	john@gmail.com
SMTP-Userpass	==	password of john@gmail.com
Enable TLS in Mail Server Auth		turn green the button to activate
Default Language		select your language

...the rest we can leave as is. If is necessary, can modify it as you like it.

Now press the button "Next >" and a new page will appear:

OpenMeetings - Installation			
			Converte
Document conversion DPI	150	ן	
Document conversion JPEG Quality		, 1	
0	90		
ImageMagick Path (1)		СНЕСК	
FFMPEG Path 🕕			
SoX Path ()		СНЕСК	
OpenOffice/LibreOffice Path for			
jodconverter 🕚		CHECK	
see also Installation			

Here we'll introduce the respective paths for the image, video, audio and conversion of uploaded files:

ImageMagick Path	==	/usr/bin
FFMPEG Path	==	/usr/local/bin
SOX Path		/usr/local/bin
OpenOffice/LibreOffice Path for jodconverter	==	/opt/libreoffice6.3

As you go introducing paths, you can check if they are correct by pressing the button labeled **Check**.

Once completed the paths, please click the "**Next** >" button and move on to another page. We will leave it as is:

OpenMeetings - Installation	
	Crypt Type
Crypt Class 0 org.apache.openmeetings.util.crypt.	
	red5SIP Configuration
Enable SIP 🔋 🖸	
SIP rooms prefix 1 400	
SIP extensions context 0 rooms	
<pre>PREVIOUS NEXT > LAST FINISH</pre>	

Now push the button "**Next** >" Will show this window:

SQS OpenMeetings				
	OpenMeetings - Installation			
	Please click "Finish" button to start installation!			
	Q%			
	< PREVIOUS NEXT > LAST FINISH			

Clic "**Finish**" button...wait a seconds untill the tables are fill in the database. When has concluded, this another page will appear. **Don't** clic on **Enter the Application**. First is need it to restart tomcat server. Be connected to Internet:

sudo /etc/init.d/tomcat3 restart

Solution Contraction Contracti			
OpenMeetings - Installation			
Enter the Application Database was changed, please restart application to avoid possible issues			
Mailing list			
https://openmeetings.apache.org/mailing-lists.html There are some companies that also offer commercial support for Apache OpenMeetings:			
https://openmeetings.apache.org/commercial-support.html			
< PREVIOUS NEXT > LAST FINISH			

Now you can click on **Enter the Application** and it will take you to the OpenMeetings entry. But wait before entering OpenMeetings we have to install Docker and Kurento-Media-Server, something we will do in the next steps, so you can have access to the camera, micro, recording and desktop sharing in the room

Login Username or mail address
Password Remember login Forgotten your password?
privacy statement Network testing

----- Installation of Docker -----

First install some neccessary libraries:

sudo yum install -y yum-utils device-mapper-persistent-data lvm2

Add the Docker repo:

sudo dnf config-manager --add-repo=https://download.docker.com/linux/centos/docker-ce.repo

...update:

sudo yum update

...install docker:

sudo dnf install --nobest docker-ce

Add your user system name to docker group and so can run docker without be root. Replace user by your real system user name:

sudo gpasswd -a user docker

...stop tomcat and mariadb:

sudo /etc/init.d/tomcat3 stop

sudo systemctl stop mariadb.service

...and reboot the machine. After this, follow in the step 13:

sudo reboot

13)

----- Installation of Kurento-Media-Server -----

After had rebooted the computer, we'll install Kurento-Media-Server needed for cam, mic-audio, recordings and share dektop in room.

First run docker:

sudo systemctl start docker.service

...and install kurento-media-server:

12)

(Only one line, with space between 1 and 2, and without space between 2 and 3)

sudo docker run -d --name kms -p 8888:8888 --mount type=bind,source=/opt/open504/webapps/openmeetings/data,target=/opt/open504/webapps/ openmeetings/data kurento/kurento-media-server

Run kurento-media-server, wich name its kms:

sudo docker start kms

...and run also MariaDB and tomcat-OpenMeetings:

sudo systemctl start mariadb.service

sudo /etc/init.d/tomcat3 start ...wait around 40 seconds to tomcat run completly.

Now you can access OpenMeetings with all the functions at your disposal. Clic the link down and type the user name and his password to login:

https://localhost:5443/openmeetings

To connect to this server from Internet or LAN is neccesary open these ports:

5443 8888

14)


----- OpenMeetings's configuration ------

Once you acced to OpenMeetings, if you would like to do any modification in the configuration, please go to:

Administration \rightarrow Configuration

Solution Compared Strength Com	Contacts and messages Profile Logout Report a bug Abou
- Welcome	
Hello firstname lastname Timezone Europe/Berlin Unread messages 0 Edit your profile Help and support Project website (https://openmeetings.apache.org) User mailing list (https://openmeetings.apache.org/mailing-lists.html) Network testing Check setup	
• My rooms	
My conference room (for 1-16 users) Users 0 / 25 Koom #	ils
My presentation room (for 1-120 users) ENTER Comment Users 0 / 120	
r Admin functions	
Admin functions	
SHOW CLEANUP REPORT	▲ Chat

...and following the order of the red arrows:



If you have some doubt or question, please raise it in the Apache OpenMeetings forums:



http://openmeetings.apache.org/mailing-lists.html

Also you can download if you like, a wallpaper of OpenMeetings for different devices such as:

PC, Mac, Smartphone, iPhone and Tablets. Here is the link to downoload:

OpenMeetings Wallpaper Download

A dvd live iso with OpenMeetings 5.0.0-M4 on Ubuntu 18.04 lts it is at your disposal.

Can find it here:

Live iso download

Thank you

Alvaro Bustos (PMC and Committer at Apache OpenMeetings).