

apache [[tests 361 suites 12](#)]

▣ [ZooKeeper \(Discovery\) 2](#) [[tests 123](#)]

- ▣ [29] ZookeeperDiscoverySpiTestSuite2: IgniteCacheReplicatedQuerySelfTest.testNodeLeft [\(fail rate 100,0%\)](#)
- ▣ [8] ZookeeperDiscoverySpiTestSuite2: IgniteClientReconnectCacheTest.testReconnect [\(fail rate 26,5%\)](#)
- ▣ [4] ZookeeperDiscoverySpiTestSuite2: IgniteClientDataStructuresTest.testSemaphore [\(fail rate 20,4%\)](#)
- ▣ [3] ZookeeperDiscoverySpiTestSuite2: IgniteClientDataStructuresTest.testSequence [\(fail rate 14,3%\)](#)
- ▣ [4] ZookeeperDiscoverySpiTestSuite2: IgniteCachePutRetryAtomicSelfTest.testPutAll [\(fail rate 12,2%\)](#)
- ▣ [2] ZookeeperDiscoverySpiTestSuite2: IgniteClientDataStructuresTest.testReentrantLock [\(fail rate 8,2%\)](#)
- ▣ [3] ZookeeperDiscoverySpiTestSuite2: IgniteClientReconnectCacheTest.testReconnectTransactionInProgress2 [\(fail rate 6,1%\)](#)
- ▣ [2] ZookeeperDiscoverySpiTestSuite2: GridCachePartitionedMultiNodeFullApiSelfTest.testTransformResourceInjection [\(fail rate 6,1%\)](#)
- ▣ [3] ZookeeperDiscoverySpiTestSuite2: GridEventConsumeSelfTest.testAllEvents [\(fail rate 6,1%\)](#)
- ▣ [2] ZookeeperDiscoverySpiTestSuite2: GridCacheReplicatedMultiNodeFullApiSelfTest.testTransformResourceInjection [\(fail rate 4,1%\)](#)
- ▣ [2] ZookeeperDiscoverySpiTestSuite2: GridCachePartitionedMultiJvmFullApiSelfTest.testTransformResourceInjection [\(fail rate 4,1%\)](#)
- ▣ [2] ZookeeperDiscoverySpiTestSuite2: GridEventConsumeSelfTest.testEventsByFilter [\(fail rate 4,1%\)](#)
- ▣ [2] ZookeeperDiscoverySpiTestSuite2: GridEventConsumeSelfTest.testEventsByType [\(fail rate 4,1%\)](#)
- ▣ [2] ZookeeperDiscoverySpiTestSuite2: GridEventConsumeSelfTest.testEventsByTypeAndFilter [\(fail rate 4,1%\)](#)
- ▣ ZookeeperDiscoverySpiTestSuite2: IgniteClientReconnectCacheTest.testReconnectCacheDestroyedAndCreated [\(fail rate 2,0%\)](#)
- ▣ ZookeeperDiscoverySpiTestSuite2: IgniteClientReconnectCacheTest.testReconnectDestroyCache [\(fail rate 2,0%\)](#)
- ▣ ZookeeperDiscoverySpiTestSuite2: GridCacheReplicatedMultiNodeFullApiSelfTest.testAtomicOps [\(fail rate 2,0%\)](#)
- ▣ ZookeeperDiscoverySpiTestSuite2: GridCacheReplicatedMultiNodeFullApiSelfTest.testCacheProxy [\(fail rate 2,0%\)](#)
- ▣ ZookeeperDiscoverySpiTestSuite2: GridCacheReplicatedMultiNodeFullApiSelfTest.testCompactExpired [\(fail rate 2,0%\)](#)
- ▣ ZookeeperDiscoverySpiTestSuite2: GridCacheReplicatedMultiNodeFullApiSelfTest.testContainsKey [\(fail rate 2,0%\)](#)
- ▣ ZookeeperDiscoverySpiTestSuite2: GridCacheReplicatedMultiNodeFullApiSelfTest.testContainsKeyTx [\(fail rate 2,0%\)](#)
- ▣ ZookeeperDiscoverySpiTestSuite2: GridCacheReplicatedMultiNodeFullApiSelfTest.testDeletedEntriesFlag [\(fail rate 2,0%\)](#)
- ▣ ZookeeperDiscoverySpiTestSuite2: GridCacheReplicatedMultiNodeFullApiSelfTest.testGetAll [\(fail rate 2,0%\)](#)
- ▣ ZookeeperDiscoverySpiTestSuite2: GridCacheReplicatedMultiNodeFullApiSelfTest.testGetAllWithFirstNull [\(fail rate 2,0%\)](#)
- ▣ ZookeeperDiscoverySpiTestSuite2: GridCacheReplicatedMultiNodeFullApiSelfTest.testGetAllWithInTheMiddle [\(fail rate 2,0%\)](#)
- ▣ ZookeeperDiscoverySpiTestSuite2: GridCacheReplicatedMultiNodeFullApiSelfTest.testGetAndPutAsync [\(fail rate 2,0%\)](#)
- ▣ ZookeeperDiscoverySpiTestSuite2: GridCacheReplicatedMultiNodeFullApiSelfTest.testGetAndPutAsyncOld [\(fail rate 2,0%\)](#)
- ▣ ZookeeperDiscoverySpiTestSuite2: GridCacheReplicatedMultiNodeFullApiSelfTest.testGetAndPutIfAbsent [\(fail rate 2,0%\)](#)
- ▣ ZookeeperDiscoverySpiTestSuite2: GridCacheReplicatedMultiNodeFullApiSelfTest.testGetAndPutIfAbsentAsyncOld [\(fail rate 2,0%\)](#)
- ▣ ZookeeperDiscoverySpiTestSuite2: GridCacheReplicatedMultiNodeFullApiSelfTest.testGetAndPutObject [\(fail rate 2,0%\)](#)
- ▣ ZookeeperDiscoverySpiTestSuite2: GridCacheReplicatedMultiNodeFullApiSelfTest.testGetAndRemove [\(fail rate 2,0%\)](#)
- ▣ ZookeeperDiscoverySpiTestSuite2: GridCacheReplicatedMultiNodeFullApiSelfTest.testGetAndReplace [\(fail rate 2,0%\)](#)
- ▣ ZookeeperDiscoverySpiTestSuite2: GridCacheReplicatedMultiNodeFullApiSelfTest.testGetAndReplaceAsync [\(fail rate 2,0%\)](#)
- ▣ ZookeeperDiscoverySpiTestSuite2: GridCacheReplicatedMultiNodeFullApiSelfTest.testGetAndReplaceAsyncOld [\(fail rate 2,0%\)](#)
- ▣ ZookeeperDiscoverySpiTestSuite2: GridCacheReplicatedMultiNodeFullApiSelfTest.testGetAsyncOld [\(fail rate 2,0%\)](#)
- ▣ ZookeeperDiscoverySpiTestSuite2: GridCacheReplicatedMultiNodeFullApiSelfTest.testGetOutTxAsync [\(fail rate 2,0%\)](#)
- ▣ ZookeeperDiscoverySpiTestSuite2: GridCacheReplicatedMultiNodeFullApiSelfTest.testGetTxNonExistingKey [\(fail rate 2,0%\)](#)
- ▣ ZookeeperDiscoverySpiTestSuite2: GridCacheReplicatedMultiNodeFullApiSelfTest.testGlobalClearAll [\(fail rate 2,0%\)](#)
- ▣ ZookeeperDiscoverySpiTestSuite2: GridCacheReplicatedMultiNodeFullApiSelfTest.testGlobalClearAllAsync [\(fail rate 2,0%\)](#)
- ▣ ZookeeperDiscoverySpiTestSuite2: GridCacheReplicatedMultiNodeFullApiSelfTest.testGlobalClearAllAsyncOld [\(fail rate 2,0%\)](#)
- ▣ ZookeeperDiscoverySpiTestSuite2: GridCacheReplicatedMultiNodeFullApiSelfTest.testGlobalClearKey [\(fail rate 2,0%\)](#)

△ ZookeeperDiscoverySpiTestSuite2: GridCacheReplicatedMultiNodeFullApiSelfTest.testPutxIfAbsentAsync_(fail rate 2,0%)
△ ZookeeperDiscoverySpiTestSuite2: GridCacheReplicatedMultiNodeFullApiSelfTest.testPutxIfAbsentAsyncNoTx_(fail rate 2,0%)
△ ZookeeperDiscoverySpiTestSuite2: GridCacheReplicatedMultiNodeFullApiSelfTest.testRemove_(fail rate 2,0%)
△ ZookeeperDiscoverySpiTestSuite2: GridCacheReplicatedMultiNodeFullApiSelfTest.testRemoveAfterClear_(fail rate 2,0%)
△ ZookeeperDiscoverySpiTestSuite2: GridCacheReplicatedMultiNodeFullApiSelfTest.testRemoveAllAsyncOld_(fail rate 2,0%)
△ ZookeeperDiscoverySpiTestSuite2: GridCacheReplicatedMultiNodeFullApiSelfTest.testRemoveAllDuplicates_(fail rate 2,0%)
△ ZookeeperDiscoverySpiTestSuite2: GridCacheReplicatedMultiNodeFullApiSelfTest.testRemoveAllDuplicatesTx_(fail rate 2,0%)
△ ZookeeperDiscoverySpiTestSuite2: GridCacheReplicatedMultiNodeFullApiSelfTest.testRemoveAllSkipStore_(fail rate 2,0%)
△ ZookeeperDiscoverySpiTestSuite2: GridCacheReplicatedMultiNodeFullApiSelfTest.testRemoveAsyncOld_(fail rate 2,0%)
△ ZookeeperDiscoverySpiTestSuite2: GridCacheReplicatedMultiNodeFullApiSelfTest.testRemoveInExplicitLocks_(fail rate 2,0%)
△ ZookeeperDiscoverySpiTestSuite2: GridCacheReplicatedMultiNodeFullApiSelfTest.testRemoveLoad_(fail rate 2,0%)
△ ZookeeperDiscoverySpiTestSuite2: GridCacheReplicatedMultiNodeFullApiSelfTest.testRemovexAsync_(fail rate 2,0%)
△ ZookeeperDiscoverySpiTestSuite2: GridCacheReplicatedMultiNodeFullApiSelfTest.testRemovexAsyncOld_(fail rate 2,0%)
△ ZookeeperDiscoverySpiTestSuite2: GridCacheReplicatedMultiNodeFullApiSelfTest.testReplace_(fail rate 2,0%)
△ ZookeeperDiscoverySpiTestSuite2: GridCacheReplicatedMultiNodeFullApiSelfTest.testReplacexAsync_(fail rate 2,0%)
△ ZookeeperDiscoverySpiTestSuite2: GridCacheReplicatedMultiNodeFullApiSelfTest.testReplacexAsyncOld_(fail rate 2,0%)
△ ZookeeperDiscoverySpiTestSuite2: GridCacheReplicatedMultiNodeFullApiSelfTest.testTransformAfterRemoveOptimistic_(fail rate 2,0%)
△ ZookeeperDiscoverySpiTestSuite2: GridCacheReplicatedMultiNodeFullApiSelfTest.testTransformAfterRemovePessimistic_(fail rate 2,0%)
△ ZookeeperDiscoverySpiTestSuite2: GridCacheReplicatedMultiNodeFullApiSelfTest.testTransformAllPessimisticRepeatableRead_(fail rate 2,0%)
△ ZookeeperDiscoverySpiTestSuite2: GridCacheReplicatedMultiNodeFullApiSelfTest.testTransformAllWithNulls_(fail rate 2,0%)
△ ZookeeperDiscoverySpiTestSuite2: GridCacheReplicatedMultiNodeFullApiSelfTest.testTransformOptimisticReadCommitted_(fail rate 2,0%)
△ ZookeeperDiscoverySpiTestSuite2: GridCacheReplicatedMultiNodeFullApiSelfTest.testTransformOptimisticRepeatableRead_(fail rate 2,0%)
△ ZookeeperDiscoverySpiTestSuite2: GridCacheReplicatedMultiNodeFullApiSelfTest.testTransformPessimisticRepeatableRead_(fail rate 2,0%)
△ ZookeeperDiscoverySpiTestSuite2: GridCacheReplicatedMultiNodeFullApiSelfTest.testTransformReturnValueGetOptimisticReadCommitted_(fail rate 2,0%)
△ ZookeeperDiscoverySpiTestSuite2: GridCacheReplicatedMultiNodeFullApiSelfTest.testTransformReturnValueGetOptimisticRepeatableRead_(fail rate 2,0%)
△ ZookeeperDiscoverySpiTestSuite2: GridCacheReplicatedMultiNodeFullApiSelfTest.testTransformReturnValueGetPessimisticReadCommitted_(fail rate 2,0%)
△ ZookeeperDiscoverySpiTestSuite2: GridCacheReplicatedMultiNodeFullApiSelfTest.testTransformReturnValueGetPessimisticRepeatableRead_(fail rate 2,0%)
△ ZookeeperDiscoverySpiTestSuite2: GridCacheReplicatedMultiNodeFullApiSelfTest.testTransformReturnValuePutInTx_(fail rate 2,0%)
△ ZookeeperDiscoverySpiTestSuite2: GridCacheReplicatedMultiNodeFullApiSelfTest.testTransformSequentialOptimisticNoStart_(fail rate 2,0%)
△ ZookeeperDiscoverySpiTestSuite2: GridCacheReplicatedMultiNodeFullApiSelfTest.testTransformSequentialPessimisticNoStart_(fail rate 2,0%)
△ ZookeeperDiscoverySpiTestSuite2: GridCacheReplicatedMultiNodeFullApiSelfTest.testTtlNoTxOldEntry_(fail rate 2,0%)
△ ZookeeperDiscoverySpiTestSuite2: GridCacheReplicatedMultiNodeFullApiSelfTest.testWithSkipStore_(fail rate 2,0%)
△ ZookeeperDiscoverySpiTestSuite2: GridCacheReplicatedMultiNodeFullApiSelfTest.testWithSkipStoreTx_(fail rate 2,0%)
△ ZookeeperDiscoverySpiTestSuite2: GridCacheReplicatedMultiNodeFullApiSelfTest.testWriteThroughTx_(fail rate 2,0%)
△ ZookeeperDiscoverySpiTestSuite2: GridCachePartitionedMultiJvmFullApiSelfTest.testPeekPartitionedModes_(fail rate 2,0%)
△ ZookeeperDiscoverySpiTestSuite2: GridEventConsumeSelfTest.testProjectionWithLocalNode_(fail rate 2,0%)
△ ZookeeperDiscoverySpiTestSuite2: GridEventConsumeSelfTest.testRemoteProjection_(fail rate 2,0%)
△ ZookeeperDiscoverySpiTestSuite2: GridEventConsumeSelfTest.testStopRemoteListen_(fail rate 2,0%)

■ --> Run :: All [[tests 0 SNAPSHOT_DEPENDENCY_ERROR](#)]

Platform .NET [tests 6]

- [29] exe: DataStreamerTest.TestBufferSize_(fail rate 64,0%)
- [2] exe: DataStorageMetricsTest.TestDataStorageMetrics_(fail rate 6,0%)
- △ □ [2] exe: CacheQueriesTest.TestSqlFieldsQuery(True, True, True, True)_(fail rate 4,0%)
- △ □ exe: DefaultLoggerTest.TestJavaLogger_(fail rate 4,0%)
- △ □ exe: PersistenceTest.TestWalDisableEnable_(fail rate 2,0%)
- △ □ exe: CacheQueriesTest.SimpleName.TestScanQuery(False)_(fail rate 2,0%)

ZooKeeper (Discovery)_1 [tests 24]

- [24] ZookeeperDiscoverySpiTestSuite1: ZookeeperDiscoverySpiTest.testRandomTopologyChanges_RestartZk_(fail rate 76,0%)
- [20] ZookeeperDiscoverySpiTestSuite1: ZookeeperDiscoverySpiTest.testCommunicationFailureResolve_ConcurrentMultinode_(fail rate 64,0%)
- [19] ZookeeperDiscoverySpiTestSuite1: ZookeeperDiscoverySpiTest.testStartStop_2_Nodes_WithCache_(fail rate 62,0%)
- [9] ZookeeperDiscoverySpiTestSuite1: ZookeeperDiscoverySpiTest.testCommunicationFailureResolve_CachesInfo1_(fail rate 26,0%)
- ZookeeperDiscoverySpiTestSuite1: ZookeeperDiscoverySpiTest.testCommunicationFailureResolve_KillCoordinator_5_(fail rate 8,0%)
- ZookeeperDiscoverySpiTestSuite1: ZookeeperDiscoverySpiTest.testConnectionRestore_Coordinator1_1_(fail rate 8,0%)
- ZookeeperDiscoverySpiTestSuite1: ZookeeperDiscoverySpiTest.testReconnectDisabled_ConnectionLost_(fail rate 8,0%)
- ZookeeperDiscoverySpiTestSuite1: ZookeeperDiscoverySpiTest.testTopologyChangeMultithreaded_(fail rate 8,0%)
- ZookeeperDiscoverySpiTestSuite1: ZookeeperClientTest.testConnectionLoss3_(fail rate 6,0%)
- [3] ZookeeperDiscoverySpiTestSuite1: ZookeeperDiscoverySpiTest.testCommunicationErrorResolve_KillCoordinator_3_(fail rate 6,0%)
- [2] ZookeeperDiscoverySpiTestSuite1: ZookeeperDiscoverySpiTest.testCommunicationErrorResolve_KillCoordinator_4_(fail rate 6,0%)
- ZookeeperDiscoverySpiTestSuite1: ZookeeperDiscoverySpiTest.testCommunicationFailureResolve_CachesInfo2_(fail rate 6,0%)
- △ □ ZookeeperDiscoverySpiTestSuite1: ZookeeperClientTest.testConnectionLoss2_(fail rate 4,0%)
- △ □ ZookeeperDiscoverySpiTestSuite1: ZookeeperDiscoverySpiTest.testCommunicationFailureResolve_ConcurrentDiscoveryEvents_(fail rate 4,0%)
- △ □ ZookeeperDiscoverySpiTestSuite1: ZookeeperDiscoverySpiTest.testConnectionRestore_Coordinator4_(fail rate 4,0%)
- △ □ ZookeeperDiscoverySpiTestSuite1: ZookeeperDiscoverySpiTest.testDefaultCommunicationFailureResolver5_(fail rate 4,0%)
- △ □ ZookeeperDiscoverySpiTestSuite1: ZookeeperDiscoverySpiTest.testNoOpCommunicationFailureResolve_1_(fail rate 4,0%)
- △ □ ZookeeperDiscoverySpiTestSuite1: ZookeeperDiscoverySpiTest.testStartStopWithClients_(fail rate 4,0%)
- △ □ ZookeeperDiscoverySpiTestSuite1: ZookeeperDiscoverySpiTest.testConnectionRestore2_(fail rate 2,0%)
- △ □ ZookeeperDiscoverySpiTestSuite1: ZookeeperDiscoverySpiTest.testConnectionRestore_Coordinator2_(fail rate 2,0%)
- △ □ ZookeeperDiscoverySpiTestSuite1: ZookeeperDiscoverySpiTest.testConnectionRestore_Coordinator3_(fail rate 2,0%)
- △ □ ZookeeperDiscoverySpiTestSuite1: ZookeeperDiscoverySpiTest.testNoOpCommunicationErrorResolve_3_(fail rate 2,0%)
- △ □ ZookeeperDiscoverySpiTestSuite1: ZookeeperDiscoverySpiTest.testRandomTopologyChanges_(fail rate 2,0%)
- △ □ ZookeeperDiscoverySpiTestSuite1: ZookeeperDiscoverySpiTest.testStopNode_1_(fail rate 2,0%)

Start Nodes [tests 14]

- [19] IgniteStartStopRestartTestSuite: IgniteProjectionStartStopRestartSelfTest.testStopNodes_(fail rate 60,0%)
- [12] IgniteStartStopRestartTestSuite: IgniteProjectionStartStopRestartSelfTest.testStartFiveNodesInTwoCalls_(fail rate 40,0%)
- [7] IgniteStartStopRestartTestSuite: IgniteProjectionStartStopRestartSelfTest.testRestartNodesFiltered_(fail rate 20,0%)
- [4] IgniteStartStopRestartTestSuite: IgniteProjectionStartStopRestartSelfTest.testStartFiveWithTwoSpecs_(fail rate 16,0%)
- [4] IgniteStartStopRestartTestSuite: IgniteProjectionStartStopRestartSelfTest.testStartThreeNodesAndRestart_(fail rate 16,0%)
- [4] IgniteStartStopRestartTestSuite: IgniteProjectionStartStopRestartSelfTest.testRestartNodesByIds_(fail rate 14,0%)
- [2] IgniteStartStopRestartTestSuite: IgniteProjectionStartStopRestartSelfTest.testStopNodesByIds_(fail rate 14,0%)
- [3] IgniteStartStopRestartTestSuite: IgniteProjectionStartStopRestartSelfTest.testCustomScript_(fail rate 12,0%)

- [4] IgniteStartStopRestartTestSuite: IgniteProjectionStartStopRestartSelfTest.testStopNodesByIdsC_(fail rate 12,0%)
- [3] IgniteStartStopRestartTestSuite: IgniteProjectionStartStopRestartSelfTest.testStartThreeNodesAndDoEmptyCall_(fail rate 10,0%)
- IgniteStartStopRestartTestSuite: IgniteProjectionStartStopRestartSelfTest.testStartThreeNodesAndTryToStartOneNode_(fail rate 10,0%)
- [3] IgniteStartStopRestartTestSuite: IgniteProjectionStartStopRestartSelfTest.testStartThreeNodes_(fail rate 8,0%)
- IgniteStartStopRestartTestSuite: IgniteProjectionStartStopRestartSelfTest.testStopNodeById_(fail rate 8,0%)
- IgniteStartStopRestartTestSuite: IgniteProjectionStartStopRestartSelfTest.testStartOneNode_(fail rate 6,0%)

Platform .NET (Long Running) [tests 8]

- [4] exe: Cache.CacheTestSsl_(fail rate 100,0%)
- [18] exe: IgniteStartStopTest.TestProcessorInit_(fail rate 42,0%)
- [8] exe: ClientConnectionTest.TestClientDisposeWhileOperationsAreInProgress_(fail rate 20,0%)
- [4] exe: CacheTest.TestGetMultithreadedMultiClient_(fail rate 12,0%)
- [2] exe: CacheTest.TestPutGetAsyncMultithreaded_(fail rate 4,0%)
- exe: CacheAbstractTest.TestCacheConfigurationExpiryPolicy_(fail rate 2,0%)
- exe: CacheTest.TestGetMultithreadedSingleClient_(fail rate 2,0%)
- exe: CacheTest.TestPutGetAsyncMultithreaded_(fail rate 2,0%)

Queries 2 [tests 8]

- IgniteBinaryCacheQueryTestSuite2: IgniteStableBaselineCacheQueryNodeRestartsSelfTest.testRestarts_(fail rate 22,0%)
- [2] IgniteBinaryCacheQueryTestSuite2: DynamicIndexPartitionedAtomicConcurrentSelfTest.testClientReconnectWithCacheRestart_(fail rate 8,0%)
- [3] IgniteBinaryCacheQueryTestSuite2: DynamicColumnsConcurrentTransactionalPartitionedSelfTest.testClientReconnectWithNonDynamicCacheRestart_(fail rate 6,0%)
- [3] IgniteBinaryCacheQueryTestSuite2: DynamicColumnsConcurrentTransactionalReplicatedSelfTest.testAddColumnCoordinatorChange_(fail rate 6,0%)
- [2] IgniteBinaryCacheQueryTestSuite2: DynamicIndexPartitionedAtomicConcurrentSelfTest.testClientReconnect_(fail rate 6,0%)
- [3] IgniteBinaryCacheQueryTestSuite2: DynamicIndexReplicatedAtomicConcurrentSelfTest.testClientReconnectWithCacheRestart_(fail rate 6,0%)
- IgniteBinaryCacheQueryTestSuite2: DynamicIndexReplicatedTransactionalConcurrentSelfTest.testClientReconnectWithCacheRestart_(fail rate 4,0%)
- IgniteBinaryCacheQueryTestSuite2: DynamicIndexPartitionedTransactionalConcurrentSelfTest.testClientReconnectWithCacheRestart_(fail rate 2,0%)

Data Structures [tests 9 TIMEOUT [4], Exit Code [4]]

- [5] IgniteCacheDataStructuresSelfTestSuite: IgniteClientDataStructuresTest.testSequence_(fail rate 22,0%)
- [3] IgniteCacheDataStructuresSelfTestSuite: IgniteClientDataStructuresTest.testReentrantLock_(fail rate 20,0%)
- [2] IgniteCacheDataStructuresSelfTestSuite:
- GridCachePartitionedDataStructuresFailoverSelfTest.testSemaphoreMultipleTopologyChangeNonFailoverSafe_(fail rate 4,0%)**
- IgniteCacheDataStructuresSelfTestSuite: GridCacheReplicatedDataStructuresFailoverSelfTest.testFairReentrantLockFailsWhenServersLeft_(fail rate 4,0%)
- IgniteCacheDataStructuresSelfTestSuite: GridCacheReplicatedDataStructuresFailoverSelfTest.testReentrantLockFailsWhenServersLeft_(fail rate 4,0%)
- IgniteCacheDataStructuresSelfTestSuite: IgniteLocalLockSelfTest.testLock_(fail rate 2,0%)
- IgniteCacheDataStructuresSelfTestSuite: IgniteLocalLockSelfTest.testLockInterruptibly_(fail rate 2,0%)
- IgniteCacheDataStructuresSelfTestSuite: IgniteLocalLockSelfTest.testTryLockTimed_(fail rate 2,0%)
- IgniteCacheDataStructuresSelfTestSuite:
- GridCacheReplicatedDataStructuresFailoverSelfTest.testSemaphoreConstantTopologyChangeNonFailoverSafe_(fail rate 2,0%)**

□ [Platform C++ \(Windows x86\)](#) [[tests 0](#) [Exit Code \[14\]](#)]

□ [Cache 2](#) [[tests 4](#) [TIMEOUT \[2\]](#), [Exit Code \[2\]](#)]

- [11] IgniteCacheTestSuite2: IgniteCacheClientNodeChangingTopologyTest.testPessimisticTxPutAllMultinode_([fail rate 38,0%](#))
- △ □ IgniteCacheTestSuite2: CacheConcurrentReadThroughTest.testConcurrentReadThrough_([fail rate 2,0%](#))
- △ □ IgniteCacheTestSuite2: IgniteCacheEntryProcessorNodeJoinTest.testEntryProcessorNodeLeave_([fail rate 2,0%](#))
- △ □ IgniteCacheTestSuite2: CacheLockReleaseNodeLeaveTest.testLockTopologyChange_([fail rate 2,0%](#))

□ [SPI](#) [[tests 14](#)]

- [6] IgniteSpiTestSuite: TcpDiscoveryWithWrongServerTest.testDisconnectOnRequest_([fail rate 18,0%](#))
- [6] IgniteSpiTestSuite: TcpDiscoveryWithWrongServerTest.testEarlyDisconnect_([fail rate 18,0%](#))
- [6] IgniteSpiTestSuite: TcpDiscoveryWithWrongServerTest.testNoHandshakeResponse_([fail rate 18,0%](#))
- [6] IgniteSpiTestSuite: TcpDiscoveryWithWrongServerTest.testWrongHandshakeResponse_([fail rate 18,0%](#))
- [6] IgniteSpiTestSuite: GridTcpCommunicationSpiConfigSelfTest.testLocalPortRange_([fail rate 16,0%](#))
- [2] IgniteSpiTestSuite: TcpCommunicationSpiSkipMessageSendTest.testClientSegmented_([fail rate 10,0%](#))
- [2] IgniteSpiTestSuite: TcpDiscoverySpiFailureTimeoutSelfTest.testDiscovery_([fail rate 10,0%](#))
- [2] IgniteSpiTestSuite: TcpDiscoverySpiFailureTimeoutSelfTest.testLocalMetricsUpdate_([fail rate 10,0%](#))
- △ □ IgniteSpiTestSuite: GridTcpSpiForwardingSelfTest.testBasicResolverMapAddress_([fail rate 2,0%](#))
- △ □ IgniteSpiTestSuite: GridTcpSpiForwardingSelfTest.testBasicResolverMapPorts_([fail rate 2,0%](#))
- △ □ IgniteSpiTestSuite: GridTcpSpiForwardingSelfTest.testCustomResolver_([fail rate 2,0%](#))
- △ □ IgniteSpiTestSuite: TcpCommunicationSpiDropNodesTest.testOneNode_([fail rate 2,0%](#))
- △ □ IgniteSpiTestSuite: TcpClientDiscoverySpiFailureTimeoutSelfTest.testFailureTimeoutWorkabilitySmallTimeout_([fail rate 2,0%](#))
- △ □ IgniteSpiTestSuite: TcpDiscoverySslTrustedSelfTest.testFailedNodes3_([fail rate 2,0%](#))

□ [Cache 6](#) [[tests 9](#) [TIMEOUT \[7\]](#), [Exit Code \[7\]](#)]

- [2] IgniteCacheTestSuite6: CacheExchangeMergeTest.testConcurrentStartServers_([fail rate 18,0%](#))
- [2] IgniteCacheTestSuite6: TxRollbackAsyncTest.testSynchronousRollback_([fail rate 9,1%](#))
- △ □ [2] IgniteCacheTestSuite6: TxRollbackAsyncWithPersistenceTest.testSynchronousRollback_([fail rate 6,1%](#))
- [2] IgniteCacheTestSuite6: IgniteOptimisticTxSuspendResumeMultiServerTest.testTxTimeoutOnSuspend_([fail rate 6,0%](#))
- △ □ IgniteCacheTestSuite6: CacheExchangeMergeTest.testMergeStartRandomClientsServers_([fail rate 4,0%](#))
- △ □ [2] IgniteCacheTestSuite6: CacheExchangeMergeTest.testMergeStartStopRandomClientsServers_([fail rate 4,0%](#))
- △ □ IgniteCacheTestSuite6: TxRollbackAsyncNearCacheTest.testMixedAsyncRollbackTypes_([fail rate 3,0%](#))
- △ □ IgniteCacheTestSuite6: TxRollbackOnTimeoutNearCacheTest.testEnlistManyWrite_([fail rate 3,0%](#))
- △ □ IgniteCacheTestSuite6: CacheExchangeMergeTest.testJoinExchangeCoordinatorChange_NoMerge_1_([fail rate 2,0%](#))

□ [Basic 2](#) [[tests 5](#)]

- [8] IgniteServiceConfigVariationsFullApiTestSuite: IgniteServiceConfigVariationsFullApiTest.testClusterSingletonDeploy_([fail rate 28,0%](#))
- [4] IgniteServiceConfigVariationsFullApiTestSuite: IgniteServiceConfigVariationsFullApiTest.testDeploy_([fail rate 20,0%](#))
- [3] IgniteIpcTestSuite: IpcSharedMemoryCrashDetectionSelfTest.testIgfsServerClientInteractionsUponClientKilling_([fail rate 18,0%](#))
- [3] IgniteServiceConfigVariationsFullApiTestSuite: IgniteServiceConfigVariationsFullApiTest.testMultipleDeploy_([fail rate 10,0%](#))
- 🔍 □ IgniteComputeBasicConfigVariationsFullApiTestSuite: IgniteComputeConfigVariationsFullApiTest.testDeployExecuteByName_([fail rate 8,0%](#))

□ [Java Client](#) [[tests 8](#) [TIMEOUT \[5\]](#), [Exit Code \[5\]](#)]

- [3] IgniteClientTestSuite: ClientReconnectionSelfTest.testFailedInit_([fail rate 12,0%](#))

- △ IgniteClientTestSuite: ClientTcpMultiThreadedSelfTest.testMultithreadedTaskRun [\(fail rate 4,0%\)](#)
- △ IgniteClientTestSuite: ClientPreferDirectSelfTest.testRoundRobinBalancer [\(fail rate 4,0%\)](#)
- △ IgniteClientTestSuite: TcpRouterMultiNodeSelfTest.testTopologyListener [\(fail rate 4,0%\)](#)
- △ IgniteClientTestSuite: RedisProtocolStringSelfTest.testSetRange [\(fail rate 4,0%\)](#)
- △ IgniteClientTestSuite: ClientTcpSslMultiThreadedSelfTest.testMultithreadedTaskRun [\(fail rate 2,0%\)](#)
- △ IgniteClientTestSuite: ClientTcpDirectMultiNodeSelfTest.testTopologyListener [\(fail rate 2,0%\)](#)
- △ IgniteClientTestSuite: ClientTcpUnreachableMultiNodeSelfTest.testTopologyListener [\(fail rate 2,0%\)](#)

□ [Cache 3](#) [[tests 6](#)]

- [6] IgniteBinaryObjectsCacheTestSuite3: IgniteTopologyValidatorGridSplitCacheTest.testTopologyValidatorWithCacheGroup [\(fail rate 22,0%\)](#)
- IgniteBinaryObjectsCacheTestSuite3: GridCacheWriteBehindStoreMultithreadedSelfTest.testFlushFromTheSameThreadWithCoalescing [\(fail rate 8,0%\)](#)
- [2] IgniteBinaryObjectsCacheTestSuite3: OffheapCacheMetricsForClusterGroupSelfTest.testGetOffHeapPrimaryEntriesCount [\(fail rate 6,0%\)](#)
- △ [2] IgniteBinaryObjectsCacheTestSuite3: CacheGroupsMetricsRebalanceTest.testRebalance [\(fail rate 4,0%\)](#)
- △ [2] IgniteBinaryObjectsCacheTestSuite3: GridCacheAtomicPartitionedTckMetricsSelfTestImpl.testGetMetricsDisable [\(fail rate 4,0%\)](#)
- △ IgniteBinaryObjectsCacheTestSuite3: GridCacheAtomicPartitionedTckMetricsSelfTestImpl.testNonTxEvictions [\(fail rate 2,0%\)](#)

□ [PDS \(Direct IO\) 1](#) [[tests 4](#)]

- [8] IgnitePdsNativeIoTestSuite: IgniteClusterActivateDeactivateTestWithPersistence.testDeactivateDuringEvictionAndRebalance [\(fail rate 22,5%\)](#)
- [5] IgnitePdsNativeIoTestSuite: IgnitePdsDynamicCacheTest.testRestartAndCreate [\(fail rate 14,0%\)](#)
- [3] IgnitePdsNativeIoTestSuite: IgniteDbPutGetWithCacheStoreTest.testWriteThrough [\(fail rate 14,0%\)](#)
- IgnitePdsNativeIoTestSuite: IgniteDbPutGetWithCacheStoreTest.testReadThrough [\(fail rate 8,0%\)](#)

□ [Queries 1](#) [[tests 11](#)]

- [4] IgniteBinaryCacheQueryTestSuite: IgniteCacheDistributedPartitionQueryNodeRestartsSelfTest.testJoinQueryUnstableTopology [\(fail rate 8,0%\)](#)
- [2] IgniteBinaryCacheQueryTestSuite: SchemaExchangeSelfTest.testNonEmptyStatic [\(fail rate 6,0%\)](#)
- [2] IgniteBinaryCacheQueryTestSuite: SchemaExchangeSelfTest.testServerRestartWithNewTypes [\(fail rate 6,0%\)](#)
- △ [2] IgniteBinaryCacheQueryTestSuite: IgniteCacheJoinQueryWithAffinityKeyTest.testJoinQueryWithAffinityKeyEscapeAll [\(fail rate 4,0%\)](#)
- △ IgniteBinaryCacheQueryTestSuite: SchemaExchangeSelfTest.testClientCacheStartDynamic [\(fail rate 4,0%\)](#)
- △ IgniteBinaryCacheQueryTestSuite: GridCacheFullTextQuerySelfTest.testTextQuery [\(fail rate 2,0%\)](#)
- △ IgniteBinaryCacheQueryTestSuite: IgniteCacheJoinQueryWithAffinityKeyTest.testJoinQueryWithAffinityKeyNotQueryField [\(fail rate 2,0%\)](#)
- △ IgniteBinaryCacheQueryTestSuite: IgniteCacheQueryH2IndexingLeakTest.testLeaksInIgniteH2IndexingOnTerminatedThread [\(fail rate 2,0%\)](#)
- △ IgniteBinaryCacheQueryTestSuite: DynamicIndexServerNodeFilterCoordinatorBasicSelfTest.testCreateIndexWithInlineSizeReplicatedAtomic [\(fail rate 2,0%\)](#)
- △ IgniteBinaryCacheQueryTestSuite: SchemaExchangeSelfTest.testDynamicRestarts [\(fail rate 2,0%\)](#)
- △ IgniteBinaryCacheQueryTestSuite: IgniteSqlSplitterSelfTest.testReplicatedTablesUsingPartitionedCacheSegmentedClientRO [\(fail rate 2,0%\)](#)

□ [Binary Objects \(Simple Mapper Queries\)](#) [[tests 11](#) [TIMEOUT](#), [Exit Code](#)]

- [3] IgniteBinarySimpleNameMapperCacheQueryTestSuite: IgniteCacheDistributedPartitionQueryNodeRestartsSelfTest.testJoinQueryUnstableTopology [\(fail rate 8,0%\)](#)
- [2] IgniteBinarySimpleNameMapperCacheQueryTestSuite: SchemaExchangeSelfTest.testDynamicRestarts [\(fail rate 8,0%\)](#)
- △ IgniteBinarySimpleNameMapperCacheQueryTestSuite: GridCacheFullTextQuerySelfTest.testLocalTextQuery [\(fail rate 4,0%\)](#)
- △ [2] IgniteBinarySimpleNameMapperCacheQueryTestSuite: IgniteCacheJoinQueryWithAffinityKeyTest.testJoinQuery [\(fail rate 4,0%\)](#)
- △ IgniteBinarySimpleNameMapperCacheQueryTestSuite: IgniteCacheJoinQueryWithAffinityKeyTest.testJoinQueryWithAffinityKey [\(fail rate 2,0%\)](#)
- △ IgniteBinarySimpleNameMapperCacheQueryTestSuite:

DynamicIndexServerNodeFilterCoordinatorBasicSelfTest.testCreateIndexWithInlineSizePartitionedAtomic [\(fail rate 2,0%\)](#)

△ IgniteBinarySimpleNameMapperCacheQueryTestSuite: SchemaExchangeSelfTest.testClientReconnect [\(fail rate 2,0%\)](#)

△ IgniteBinarySimpleNameMapperCacheQueryTestSuite: SchemaExchangeSelfTest.testEmptyStatic [\(fail rate 2,0%\)](#)

△ IgniteBinarySimpleNameMapperCacheQueryTestSuite: SchemaExchangeSelfTest.testNonEmptyDynamic [\(fail rate 2,0%\)](#)

△ IgniteBinarySimpleNameMapperCacheQueryTestSuite: IgniteSqlSkipReducerOnUpdateDmlSelfTest.testNodeStopDuringUpdate [\(fail rate 2,0%\)](#)

△ IgniteBinarySimpleNameMapperCacheQueryTestSuite: IgniteSqlSplitterSelfTest.testReplicatedTablesUsingPartitionedCacheSegmentedClient [\(fail rate 2,0%\)](#)

□ [PDS \(Direct IO\) 2](#) [[tests 5](#)]

□ [4] IgnitePdsNativeIoTestSuite2: IgnitePdsWholeClusterRestartTest.testRestarts [\(fail rate 14,0%\)](#)

□ IgnitePdsNativeIoTestSuite2: LocalWalModeChangeDuringRebalancingSelfTest.testLocalAndGlobalWalStateInterdependence [\(fail rate 13,6%\)](#)

□ IgnitePdsNativeIoTestSuite2: LocalWalModeChangeDuringRebalancingSelfTest.testParallelExchangeDuringRebalance [\(fail rate 13,6%\)](#)

□ IgnitePdsNativeIoTestSuite2: LocalWalModeChangeDuringRebalancingSelfTest.testParallelExchangeDuringCheckpoint [\(fail rate 11,4%\)](#)

□ IgnitePdsNativeIoTestSuite2: IgnitePdsCorruptedStoreTest.testNodeInvalidatedWhenPersistencelsCorrupted [\(fail rate 10,0%\)](#)

□ [Hadoop](#) [[tests 8](#)]

□ [7] IgniteHadoopTestSuite: HadoopCommandLineTest.testHiveCommandLine [\(fail rate 24,0%\)](#)

□ [2] IgniteHadoopTestSuite: HadoopSerializationWrapperSelfTest.testIntJavaSerialization [\(fail rate 8,0%\)](#)

□ [2] IgniteHadoopTestSuite: HadoopSplitWrapperSelfTest.testSerialization [\(fail rate 8,0%\)](#)

□ [2] IgniteHadoopTestSuite: HadoopTaskExecutionSelfTest.testJobKill [\(fail rate 8,0%\)](#)

□ [2] IgniteHadoopTestSuite: HadoopTasksV1Test.testReduceTask [\(fail rate 8,0%\)](#)

□ [2] IgniteHadoopTestSuite: HadoopV2JobSelfTest.testCustomSerializationApplying [\(fail rate 8,0%\)](#)

△ IgniteHadoopTestSuite: **HadoopClientProtocolEmbeddedSelfTest.testJobCounters** [\(fail rate 2,0%\)](#)

△ IgniteHadoopTestSuite: **HadoopConcurrentHashMultimapSelfTest.testMultiThreaded** [\(fail rate 2,0%\)](#)

□ [Binary Objects](#) [[tests 6](#)]

□ [7] IgniteBinaryObjectsTestSuite: GridCacheBinaryObjectMetadataExchangeMultinodeTest.testReadRequestBlockedOnUpdatingMetadata [\(fail rate 20,0%\)](#)

□ [6] IgniteBinaryObjectsTestSuite: BinaryMetadataUpdatesFlowTest.testFlowNoConflictsWithClients [\(fail rate 12,0%\)](#)

□ [6] IgniteBinaryObjectsTestSuite: GridCacheClientNodeBinaryObjectMetadataMultinodeTest.testClientMetadataInitialization [\(fail rate 12,0%\)](#)

□ [6] IgniteBinaryObjectsTestSuite: GridCacheClientNodeBinaryObjectMetadataMultinodeTest.testClientStartsFirst [\(fail rate 12,0%\)](#)

△ IgniteBinaryObjectsTestSuite: **BinaryMetadataUpdatesFlowTest.testFlowNoConflicts** [\(fail rate 4,0%\)](#)

△ IgniteBinaryObjectsTestSuite: **BinaryMetadataUpdatesFlowTest.testConcurrentMetadataUpdates** [\(fail rate 2,0%\)](#)

□ [Continuous Query 1](#) [[tests 6](#)]

□ [4] IgniteCacheQuerySelfTestSuite3: IgniteCacheContinuousQueryBackupQueueTest.testManyQueryBackupQueue [\(fail rate 14,0%\)](#)

□ [3] IgniteCacheQuerySelfTestSuite3: CacheContinuousQueryOperationFromCallbackTest.testTxReplicatedFilter [\(fail rate 10,0%\)](#)

□ [3] IgniteCacheQuerySelfTestSuite3: CacheContinuousQueryOperationFromCallbackTest.testTxTwoBackupsFilterPrimary [\(fail rate 10,0%\)](#)

□ [2] IgniteCacheQuerySelfTestSuite3: CacheContinuousQueryOperationFromCallbackTest.testTxTwoBackupsFilter [\(fail rate 6,0%\)](#)

□ [3] IgniteCacheQuerySelfTestSuite3: CacheContinuousWithTransformerPartitionedSelfTest.testContinuousWithTransformerAndRegularListenerKeepBinaryAsync [\(fail rate 6,0%\)](#)

△ IgniteCacheQuerySelfTestSuite3: **CacheContinuousQueryOperationFromCallbackTest.testTxTwoBackup** [\(fail rate 2,0%\)](#)

□ [Activate | Deactivate Cluster](#) [[tests 2 TIMEOUT \[2\]](#), [Exit Code \[2\]](#)]

□ IgniteStandByClusterSuite: JoinInactiveNodeToActiveCluster.testJoinClientStaticCacheConfigurationOnJoin [\(fail rate 6,0%\)](#)

△ IgniteStandByClusterSuite: IgniteChangeGlobalStateTest.testDeActivateCheckCacheDestroy [\(fail rate 2,0%\)](#)

□ [Cache 5](#) [[tests 4](#)]

□ [3] IgniteCacheTestSuite5: IgniteCacheAtomicProtocolTest.testPutReaderUpdate1 [\(fail rate 14,0%\)](#)

△ IgniteCacheTestSuite5: CacheLateAffinityAssignmentTest.testRandomOperations [\(fail rate 2,0%\)](#)

△ IgniteCacheTestSuite5: IgniteCacheAtomicProtocolTest.testFullAsyncPutRemap [\(fail rate 2,0%\)](#)

△ IgniteCacheWithIndexingTestSuite: ClientReconnectAfterClusterRestartTest.testReconnectClient [\(fail rate 2,0%\)](#)

□ [Binary Objects \(Simple Mapper Basic\)](#) [[tests 4](#)]

□ [2] IgniteBinarySimpleNameMapperBasicTestSuite: ServiceDeploymentOnActivationTest.testClientsStaticConfigWithPersistence [\(fail rate 7,1%\)](#)

□ IgniteBinarySimpleNameMapperBasicTestSuite: OptimizedMarshallerNodeFailoverTest.testRestartAllNodes [\(fail rate 6,0%\)](#)

△ IgniteBinarySimpleNameMapperBasicTestSuite: GridDiscoveryManagerAliveCacheSelfTest.testAlivesClient [\(fail rate 4,0%\)](#)

△ IgniteBinarySimpleNameMapperBasicTestSuite: BPlusTreeReuseSelfTest.testTestRandomPutRemoveMultithreaded_1_30_1 [\(fail rate 2,0%\)](#)

□ [Cache 1](#) [[tests 8](#)]

□ [2] IgniteBinaryCacheTestSuite: IgniteCommunicationBalanceTest.testBalance2 [\(fail rate 6,0%\)](#)

□ IgniteBinaryCacheTestSuite: IgniteCacheMessageRecoveryIdleConnectionTest.testCacheOperationsIdleConnectionCloseTx [\(fail rate 6,0%\)](#)

△ IgniteBinaryCacheTestSuite: GridCacheBalancingStoreSelfTest.testConcurrentLoad [\(fail rate 4,0%\)](#)

△ [2] IgniteBinaryCacheTestSuite: DataStreamerImplSelfTest.testAllOperationFinishedBeforeFutureCompletion [\(fail rate 4,0%\)](#)

△ IgniteBinaryCacheTestSuite: GridCacheBalancingStoreSelfTest.testConcurrentLoadAll [\(fail rate 2,0%\)](#)

△ IgniteBinaryCacheTestSuite: IgniteCommunicationSslBalanceTest.testRandomBalance [\(fail rate 2,0%\)](#)

△ IgniteBinaryCacheTestSuite: CacheAffinityCallSelfTest.testAffinityCallRestartNode [\(fail rate 2,0%\)](#)

△ IgniteBinaryCacheTestSuite: IgniteCacheConnectionRecovery10ConnectionsTest.testConnectionRecovery [\(fail rate 2,0%\)](#)

□ [Cache \(Failover\) 3](#) [[tests 1](#)]

□ [6] IgniteCacheFailoverTestSuite3: IgniteCachePutRetryAtomicSelfTest.testPutAll [\(fail rate 20,0%\)](#)

□ [PDS 1](#) [[tests 3](#) [TIMEOUT \[2\]](#), [Exit Code \[2\]](#)]

△ IgnitePdsTestSuite: BPlusTreePageMemoryImplTest.testSizeForRandomPutRmvMultithreadedAsync_16 [\(fail rate 2,0%\)](#)

△ IgnitePdsTestSuite: BPlusTreeReuseListPageMemoryImplTest.testMassiveRemove2_false [\(fail rate 2,0%\)](#)

△ IgnitePdsTestSuite: FillFactorMetricTest.testFillAndEmpty [\(fail rate 2,0%\)](#)

□ [Cache 4](#) [[tests 15](#)]

□ [2] IgniteCacheTestSuite4: CacheGetEntryOptimisticRepeatableReadSelfTest.testReplicatedTransactional [\(fail rate 6,0%\)](#)

□ [2] IgniteCacheTestSuite4: CacheGetEntryPessimisticRepeatableReadSelfTest.testReplicatedTransactional [\(fail rate 6,0%\)](#)

△ IgniteCacheTestSuite4: CacheGetEntryPessimisticSerializableSelfTest.testReplicatedTransactional [\(fail rate 4,0%\)](#)

△ IgniteCacheTestSuite4: IgniteDynamicCacheStartStopConcurrentTest.testConcurrentStartStop [\(fail rate 4,0%\)](#)

△ IgniteCacheTestSuite4: CacheGetEntryOptimisticReadCommittedSelfTest.testNearTransactional [\(fail rate 2,0%\)](#)

△ IgniteCacheTestSuite4: CacheGetEntryOptimisticReadCommittedSelfTest.testPartitionedTransactional [\(fail rate 2,0%\)](#)

△ IgniteCacheTestSuite4: CacheGetEntryOptimisticReadCommittedSelfTest.testReplicatedTransactional [\(fail rate 2,0%\)](#)

△ IgniteCacheTestSuite4: CacheGetEntryOptimisticSerializableSelfTest.testNearTransactional [\(fail rate 2,0%\)](#)

△ IgniteCacheTestSuite4: CacheGetEntryOptimisticSerializableSelfTest.testReplicatedTransactional [\(fail rate 2,0%\)](#)

△ IgniteCacheTestSuite4: CacheGetEntryPessimisticReadCommittedSelfTest.testPartitionedTransactional [\(fail rate 2,0%\)](#)

△ IgniteCacheTestSuite4: CacheGetEntryPessimisticReadCommittedSelfTest.testReplicatedTransactional [\(fail rate 2,0%\)](#)

- △ IgniteCacheTestSuite4: CacheGetEntryPessimisticRepeatableReadSelfTest.testNearTransactional [\(fail rate 2,0%\)](#)
- △ IgniteCacheTestSuite4: CacheGetEntryPessimisticSerializableSelfTest.testNearTransactional [\(fail rate 2,0%\)](#)
- △ IgniteCacheTestSuite4: CacheGetEntryPessimisticSerializableSelfTest.testPartitionedTransactional [\(fail rate 2,0%\)](#)
- △ IgniteCacheTestSuite4: CacheStoreUsageMultinodeDynamicStartAtomicTest.testDynamicStartWriteBehindStoreNearEnabled [\(fail rate 2,0%\)](#)

□ [PDS \(Compatibility\)](#) [[tests 3](#)]

- [3] IgniteCompatibilityBasicTestSuite: PersistenceBasicCompatibilityTest.testNodeStartByOldVersionPersistenceData_2_1 [\(fail rate 9,1%\)](#)
- △ [2] IgniteCompatibilityBasicTestSuite: PersistenceBasicCompatibilityTest.testNodeStartByOldVersionPersistenceData_2_3 [\(fail rate 6,1%\)](#)
- △ IgniteCompatibilityBasicTestSuite: PersistenceBasicCompatibilityTest.testNodeStartByOldVersionPersistenceData_2_2 [\(fail rate 3,0%\)](#)

□ [Basic 1](#) [[tests 5](#)]

- △ IgniteBasicTestSuite: ServiceDeploymentOnActivationTest.testClientsStaticConfigWithPersistence [\(fail rate 2,0%\)](#)
- △ IgniteBasicTestSuite: OptimizedMarshallerNodeFailoverTest.testRestartAllNodes [\(fail rate 2,0%\)](#)
- △ IgniteBasicTestSuite: GridAffinityProcessorRendezvousSelfTest.testAffinityProcessor [\(fail rate 2,0%\)](#)
- △ IgniteBasicTestSuite: GridServiceProcessorProxySelfTest.testNodeSingletonRemoteNotStickyProxy [\(fail rate 2,0%\)](#)
- △ IgniteBasicTestSuite: GridServiceProcessorProxySelfTest.testNodeSingletonRemoteStickyProxy [\(fail rate 2,0%\)](#)

□ [Streamers](#) [[tests 4](#)]

- IgniteKafkaStreamerSelfTestSuite: IgniteSinkConnectorTest.testSinkPutsWithoutTransformation [\(fail rate 6,0%\)](#)
- △ [2] IgniteStormStreamerSelfTestSuite: StormIgniteStreamerSelfTest.testStormStreamerIgniteBolt [\(fail rate 4,0%\)](#)
- △ IgniteKafkaStreamerSelfTestSuite: KafkaIgniteStreamerSelfTest.testKafkaStreamer [\(fail rate 2,0%\)](#)
- △ IgniteMqttStreamerTestSuite: IgniteMqttStreamerTest.testSingleTopic_NoQoS_RetryOnce [\(fail rate 2,0%\)](#)

□ [Cache \(Restarts\) 2](#) [[tests 1](#)]

- [2] IgniteCacheRestartTestSuite2: IgniteCachePutAllRestartTest.testStopNode [\(fail rate 10,0%\)](#)

□ [Compute \(Grid\)](#) [[tests 2](#)]

- [2] IgniteBinaryObjectsComputeGridTestSuite: GridMultithreadedJobStealingSelfTest.testJoinedNodeCanStealJobs [\(fail rate 8,0%\)](#)
- △ IgniteBinaryObjectsComputeGridTestSuite: GridContinuousTaskSelfTest.testContinuousJobsChainMultiThreaded [\(fail rate 4,0%\)](#)

□ [Client Nodes](#) [[tests 2](#)]

- △ IgniteClientNodesTestSuite: IgniteClientConnectAfterCommunicationFailureTest.testClientReconnects [\(fail rate 4,0%\)](#)
- △ IgniteClientNodesTestSuite: IgniteClientReconnectContinuousProcessorTest.testMessageListenerReconnectAndStopFromServer [\(fail rate 4,0%\)](#)

□ [Cache \(Expiry Policy\)](#) [[tests 4](#)]

- △ IgniteCacheExpiryPolicyTestSuite: GridCacheTtlManagerNotificationTest.testThatNotificationWorkAsExpectedInMultithreadedMode [\(fail rate 2,0%\)](#)
- △ IgniteCacheExpiryPolicyTestSuite: GridCacheTtlManagerNotificationTest.testThatNotificationWorkAsExpectedManyCaches [\(fail rate 2,0%\)](#)
- △ IgniteCacheExpiryPolicyTestSuite: IgniteCacheTtlCleanupSelfTest.testDeferredDeleteTtl [\(fail rate 2,0%\)](#)
- △ IgniteCacheExpiryPolicyTestSuite: IgniteCacheTxExpiryPolicyWithStoreTest.testGetReadThrough [\(fail rate 2,0%\)](#)

□ [Binary Objects \(Simple Mapper Compute Grid\)](#) [[tests 3](#)]

- △ [2] IgniteBinaryObjectsSimpleNameMapperComputeGridTestSuite: GridMultithreadedJobStealingSelfTest.testJoinedNodeCanStealJobs [\(fail rate 4,0%\)](#)
- △ IgniteBinaryObjectsSimpleNameMapperComputeGridTestSuite: GridContinuousTaskSelfTest.testContinuousJobsChainMultiThreaded [\(fail rate 4,0%\)](#)

2,0%)

△ □ IgniteBinaryObjectsSimpleNameMapperComputeGridTestSuite: GridJobServicesAddNodeTest.testServiceDescriptorsJob [\(fail rate 2,0%\)](#)

□ [Cache \(Failover SSL\)](#) [[tests 1](#)]

□ [3] IgniteCacheFailoverTestSuiteSsl: IgniteCacheSslStartStopSelfTest.testPutAll [\(fail rate 12,0%\)](#)

□ [GCE](#) [[tests 1](#)]

□ [5] IgniteGCETestSuite: TcpDiscoveryGoogleStorageIpFinderSelfTest.testIpFinder [\(fail rate 12,0%\)](#)

□ [Platform .NET \(Core Linux\)](#) [[tests 2](#) [Exit Code](#) [2]]

△ □ dll: ClientConnectionTest.TestServerConnectionAborted [\(fail rate 4,0%\)](#)

△ □ dll: ServicesTestAsync.TestDeployNodeSingleton [\(fail rate 2,0%\)](#)

□ [PDS \(Indexing\)](#) [[tests 1](#)]

△ □ IgnitePdsWithIndexingCoreTestSuite: IgnitePdsBinarySortObjectFieldsTest.testGivenCacheWithPojoValueAndPds_WhenPut_ThenNoHangup [\(fail rate 2,0%\)](#)

□ [Cache \(Deadlock Detection\)](#) [[tests 1](#) [TIMEOUT](#), [Exit Code](#)]

△ □ TxDeadlockDetectionTestSuite: TxPessimisticDeadlockDetectionTest.testDeadlocksPartitionedNear [\(fail rate 2,0%\)](#)

□ [Memory Leaks](#) [[tests 1](#)]

□ [2] IgniteDbMemoryLeakTestSuite: IgniteDbMemoryLeakWithExpirationTest.testMemoryLeak [\(fail rate 8,0%\)](#)

□ [ML](#) [[tests 2](#)]

△ □ [2] IgniteMLTestSuite: LogisticRegressionSGDTrainerTest.trainWithTheLinearlySeparableCase[Data divided on 7 partitions] [\(fail rate 5,7%\)](#)

△ □ IgniteMLTestSuite: LogisticRegressionSGDTrainerTest.trainWithTheLinearlySeparableCase[Data divided on 3 partitions] [\(fail rate 2,9%\)](#)

□ [Cache \(Failover\) 2](#) [[tests 1](#)]

△ □ IgniteCacheFailoverTestSuite2: GridCachePartitionedTxSalvageSelfTest.testPessimisticTxSalvageAfterTimeout [\(fail rate 2,0%\)](#)

□ [Javadoc](#) [[tests 0](#) [BuildFailureOnMessage](#)]

□ [Interceptor Cache \(Full API Config Variations / Basic\)](#) [[tests 1](#)]

△ □ [2] InterceptorCacheConfigVariationsFullApiTestSuite: InterceptorCacheConfigVariationsFullApiTest.testWithSkipStoreTx [\(fail rate 4,0%\)](#)

Ignite TC helper, V20180504, [source code \(GitHub\)](#). Powered by  [Apache Ignite](#) V2.4.0