

**apache** [ [tests 512 suites 41](#) ]

▣ [Activate | Deactivate Cluster](#) [ [tests 2 TIMEOUT \[29\]](#), [Exit Code \[29\]](#) ]

- IgniteStandByClusterSuite: IgniteChangeGlobalStateCacheTest.testMoreKeyValueAfterActivate
- IgniteStandByClusterSuite: IgniteChangeGlobalStateTest.testConcurrentActivateFromClientNodeAndServerNode

[Critical F.R.:](#)  
[94,0%](#)  
[\(fail rate 2,0%\)](#)  
[\(fail rate 2,0%\)](#)

✖ ▣ [PDS 1](#) [ [tests 5 TIMEOUT \[11\]](#), [Exit Code \[11\]](#) ]

- ✖ □ [18] IgnitePdsTestSuite: IgnitePdsDynamicCacheTest.testRestartAndCreate
- [5] IgnitePdsTestSuite: IgniteDbPutGetWithCacheStoreTest.testReadThrough
- ✖ □ IgnitePdsTestSuite: IgnitePdsCheckpointSimulationWithRealCpDisabledTest.testCheckpointSimulationMultiThreaded
- IgnitePdsTestSuite: IgnitePdsPageReplacementTest.testPageReplacement
- IgnitePdsTestSuite: IgnitePdsDestroyCacheWithoutCheckpointsTest.testDestroyCachesAbruptlyWithoutCheckpoints

[Critical F.R.:](#)  
[26,0%](#)  
[\(fail rate 70,0%\)](#)  
[\(fail rate 16,0%\)](#)  
[\(fail rate 8,0%\)](#)  
[\(fail rate 4,0%\)](#)  
[\(fail rate 2,0%\)](#)

▣ [ZooKeeper \(Discovery\) 1](#) [ [tests 8 TIMEOUT \[8\]](#), [Exit Code \[8\]](#) ]

- [3] ZookeeperDiscoverySpiTestSuite1: ZookeeperDiscoverySpiTest.testTopologyChangeMultithreaded\_RestartZk
- [4] ZookeeperDiscoverySpiTestSuite1: ZookeeperDiscoverySpiTest.testTopologyChangeMultithreaded\_RestartZk\_CloseClients
- [4] ZookeeperDiscoverySpiTestSuite1: ZookeeperDiscoverySpiTest.testConcurrentStartWithClient
- ZookeeperDiscoverySpiTestSuite1: ZookeeperDiscoverySpiTest.testCommunicationErrorResolve\_KillCoordinator\_4
- ZookeeperDiscoverySpiTestSuite1: ZookeeperDiscoverySpiTest.testCommunicationErrorResolve\_KillCoordinator\_3
- ZookeeperDiscoverySpiTestSuite1: ZookeeperDiscoverySpiTest.testAuthentication
- ZookeeperDiscoverySpiTestSuite1: ZookeeperDiscoverySpiTest.testLargeUserAttribute2
- ZookeeperDiscoverySpiTestSuite1: ZookeeperDiscoverySpiTest.testStartNoZk

[Critical F.R.:](#)  
[30,0%](#)  
[\(fail rate 17,2%\)](#)  
[\(fail rate 17,2%\)](#)  
[\(fail rate 10,0%\)](#)  
[\(fail rate 8,0%\)](#)  
[\(fail rate 6,0%\)](#)  
[\(fail rate 2,0%\)](#)  
[\(fail rate 2,0%\)](#)  
[\(fail rate 2,0%\)](#)

▣ [Cache 6](#) [ [tests 5 TIMEOUT \[6\]](#), [Exit Code \[23\]](#) ]

- [4] IgniteCacheTestSuite6: TxRollbackAsyncTest.testSynchronousRollback
- [6] IgniteCacheTestSuite6: TxRollbackAsyncWithPersistenceTest.testSynchronousRollback
- [3] IgniteCacheTestSuite6: CacheExchangeMergeTest.testConcurrentStartServers
- [4] IgniteCacheTestSuite6: TxRollbackAsyncNearCacheTest.testSynchronousRollback
- IgniteCacheTestSuite6: WalModeChangeAdvancedSelfTest.testClientReconnect

[Critical F.R.:](#)  
[22,0%](#)  
[\(fail rate 22,0%\)](#)  
[\(fail rate 22,0%\)](#)  
[\(fail rate 20,0%\)](#)  
[\(fail rate 14,0%\)](#)  
[\(fail rate 4,0%\)](#)

▣ [Data Structures](#) [ [tests 7 TIMEOUT \[7\]](#), [Exit Code \[7\]](#) ]

- ✖ □ [12] IgniteCacheDataStructuresSelfTestSuite:  
GridCacheReplicatedDataStructuresFailoverSelfTest.testAtomicSequenceConstantTopologyChange
- [2] IgniteCacheDataStructuresSelfTestSuite:  
GridCacheReplicatedDataStructuresFailoverSelfTest.testAtomicStampedConstantMultipleTopologyChange
- IgniteCacheDataStructuresSelfTestSuite:

[Critical F.R.:](#)  
[26,0%](#)  
[\(fail rate 48,0%\)](#)  
[\(fail rate 10,0%\)](#)  
[\(fail rate 8,0%\)](#)

- GridCachePartitionedDataStructuresFailoverSelfTest.testSemaphoreConstantTopologyChangeNonFailoverSafe (fail rate 6,0%)
- [2] IgniteCacheDataStructuresSelfTestSuite: GridCachePartitionedDataStructuresFailoverSelfTest.testFairReentrantLockFailsWhenServersLeft (fail rate 6,0%)
- IgniteCacheDataStructuresSelfTestSuite: GridCacheReplicatedDataStructuresFailoverSelfTest.testFairReentrantLockFailsWhenServersLeft (fail rate 6,0%)
- IgniteCacheDataStructuresSelfTestSuite: GridCachePartitionedDataStructuresFailoverSelfTest.testReentrantLockFailsWhenServersLeft (fail rate 2,0%)
- IgniteCacheDataStructuresSelfTestSuite: GridCacheReplicatedDataStructuresFailoverSelfTest.testReentrantLockFailsWhenServersLeft (fail rate 2,0%)

- [Binary Objects \(Simple Mapper Basic\)](#) [ tests 11 TIMEOUT [9], Exit Code [9] ] Critical F.R.: 24,0%
- [4] IgniteBinarySimpleNameMapperBasicTestSuite: ServiceDeploymentOutsideBaselineTest.testStaticDeployFromEachPersistentNodes (fail rate 26,9%)
- IgniteBinarySimpleNameMapperBasicTestSuite: GridDiscoveryManagerAliveCacheSelfTest.testAlivesClient (fail rate 12,0%)
- [2] IgniteBinarySimpleNameMapperBasicTestSuite: SystemWorkersTerminationTest.testTermination (fail rate 9,1%)
- [2] IgniteBinarySimpleNameMapperBasicTestSuite: IgniteServiceReassignmentTest.testZombieAssignmentsCleanup (fail rate 8,3%)
- IgniteBinarySimpleNameMapperBasicTestSuite: SystemCacheNotConfiguredTest.test (fail rate 7,0%)
- IgniteBinarySimpleNameMapperBasicTestSuite: ServiceDeploymentOnActivationTest.testClientsStaticConfigWithPersistence (fail rate 4,0%)
- IgniteBinarySimpleNameMapperBasicTestSuite: FailureHandlerTriggeredTest.testFailureHandlerTriggeredOnExchangeWorkerTermination (fail rate 2,0%)
- IgniteBinarySimpleNameMapperBasicTestSuite: StopNodeOrHaltFailureHandlerTest.testJvmHalted (fail rate 2,0%)
- IgniteBinarySimpleNameMapperBasicTestSuite: BPlusTreeSelfTest.testSizeForRandomPutRmvMultithreadedAsync\_16 (fail rate 2,0%)
- IgniteBinarySimpleNameMapperBasicTestSuite: GridServiceProcessorProxySelfTest.testNodeSingletonRemoteNotStickyProxy (fail rate 2,0%)
- IgniteBinarySimpleNameMapperBasicTestSuite: GridP2PTimeoutSelfTest.testFilterIsolatedMode (fail rate 2,0%)

- [Cache \(Failover\) 2](#) [ tests 2 TIMEOUT [4], Exit Code [4] ] Critical F.R.: 20,0%
- [12] IgniteCacheFailoverTestSuite2: CacheAsyncOperationsFailoverTxTest.testPutAllAsyncFailover (fail rate 40,0%)
- IgniteCacheFailoverTestSuite2: GridCachePartitionedTxSalvageSelfTest.testOptimisticTxSalvageAfterTimeout (fail rate 4,0%)

- [Platform C++ \(Windows x64\)](#) [ tests 0 JVM CRASH , Exit Code ] Critical F.R.: 28,0%

- [PDS \(Indexing\)](#) [ tests 14 ]
- 🔍 □ [15] IgnitePdsWithIndexingCoreTestSuite: IgnitePdsTxCacheRebalancingTest.testTopologyChangesWithConstantLoadExplicitTx (fail rate 46,0%)
- 🔍 □ [14] IgnitePdsWithIndexingCoreTestSuite: IgnitePdsTxCacheRebalancingTest.testTopologyChangesWithConstantLoad (fail rate 44,0%)
- ✖ □ [12] IgnitePdsWithIndexingCoreTestSuite: IgnitePdsAtomicCacheHistoricalRebalancingTest.testTopologyChangesWithConstantLoad (fail rate 36,0%)
- ✖ □ [8] IgnitePdsWithIndexingCoreTestSuite: IgnitePdsBinarySortObjectFieldsTest.testGivenCacheWithPojoValueAndPds\_WhenPut\_ThenNoHangup (fail rate 22,0%)
- [10] IgnitePdsWithIndexingCoreTestSuite: IgnitePdsCacheDestroyDuringCheckpointTest.testCacheCreatePutCheckpointDestroy (fail rate 22,0%)
- 🔍 □ [6] IgnitePdsWithIndexingCoreTestSuite: IgnitePdsAtomicCacheRebalancingTest.testTopologyChangesWithConstantLoad (fail rate 14,0%)
- [5] IgnitePdsWithIndexingCoreTestSuite: WalRecoveryTxLogicalRecordsTest.testFreeListRecovery (fail rate 14,0%)
- [2] IgnitePdsWithIndexingCoreTestSuite: IgniteWalRebalanceTest.testWithLocalWalChange (fail rate 12,0%)
- IgnitePdsWithIndexingCoreTestSuite: IgnitePdsAtomicCacheHistoricalRebalancingTest.testPartitionCounterConsistencyOnUnstableTopology (fail rate 6,0%)

- [3] IgnitePdsWithIndexingCoreTestSuite: IgnitePdsPageEvictionTest.testPageEvictionSql [\(fail rate 6,0%\)](#)
- IgnitePdsWithIndexingCoreTestSuite: IgnitePdsBinaryMetadataOnClusterRestartTest.testDynamicMetadataIsRestoredOnRestart [\(fail rate 4,0%\)](#)
- IgnitePdsWithIndexingCoreTestSuite: IgnitePdsDiskErrorsRecoveringTest.testRecoveringOnNodeStartMarkerWriteFail [\(fail rate 4,0%\)](#)
- IgnitePdsWithIndexingCoreTestSuite: IgniteWalRecoveryTest.testRecoveryLargeNoCheckpoint [\(fail rate 4,0%\)](#)
- IgnitePdsWithIndexingCoreTestSuite: IgniteWalRecoveryWithCompactionTest.testRecoveryNoCheckpoint [\(fail rate 4,0%\)](#)

▣ [Cache 5](#) [ [tests 9 TIMEOUT](#), [Exit Code](#) ]

[Critical F.R.:](#)  
[6,0%](#)

- [24] IgniteCacheWithIndexingTestSuite: BinaryTypeMismatchLoggingTest.testEntryWriteQueryEntities [\(fail rate 76,0%\)](#)
- IgniteCacheTestSuite5: CacheSerializableTransactionsTest.testReadWriteTransactionsNoDeadlockMultinode [\(fail rate 6,0%\)](#)
- [2] IgniteCacheWithIndexingTestSuite: ClientReconnectAfterClusterRestartTest.testReconnectClient [\(fail rate 6,0%\)](#)
- IgniteCacheTestSuite5: IgniteCacheReadThroughEvictionSelfTest.testReadThroughSkipStore [\(fail rate 4,0%\)](#)
- IgniteCacheTestSuite5: IgniteCacheGroupsPartitionLossPolicySelfTest.testReadWriteSafe [\(fail rate 4,0%\)](#)
- IgniteCacheTestSuite5: CacheSerializableTransactionsTest.testRandomOperations [\(fail rate 2,0%\)](#)
- IgniteCacheTestSuite5: CacheLateAffinityAssignmentTest.testDelayAssignmentClientCacheStart [\(fail rate 2,0%\)](#)
- IgniteCacheTestSuite5: IgniteCacheAtomicProtocolTest.testFullAsyncPutRemap [\(fail rate 2,0%\)](#)
- IgniteCacheWithIndexingTestSuite: CacheTtlTransactionalPartitionedSelfTest.testTimeToLiveTtl [\(fail rate 2,0%\)](#)

▣ [ZooKeeper \(Discovery\) 2](#) [ [tests 10 TIMEOUT \[2\]](#), [Exit Code \[2\]](#) ]

[Critical F.R.:](#)  
[10,0%](#)

- [15] ZookeeperDiscoverySpiTestSuite2: IgniteClientReconnectCacheTest.testReconnectMultinodeLongHistory [\(fail rate 48,0%\)](#)
- [8] ZookeeperDiscoverySpiTestSuite2: IgniteClientReconnectCacheTest.testReconnectMultinode [\(fail rate 34,0%\)](#)
- [5] ZookeeperDiscoverySpiTestSuite2: IgniteClientReconnectCacheTest.testReconnect [\(fail rate 32,0%\)](#)
- [3] ZookeeperDiscoverySpiTestSuite2: IgniteCachePutRetryAtomicSelfTest.testPutAll [\(fail rate 12,0%\)](#)
- [2] ZookeeperDiscoverySpiTestSuite2: IgniteClientReconnectCacheTest.testReconnectTransactionInProgress2 [\(fail rate 6,0%\)](#)
- [3] ZookeeperDiscoverySpiTestSuite2: GridCachePartitionedNodeRestartTest.testRestartWithTxTenNodesTwoBackups [\(fail rate 6,0%\)](#)
- ZookeeperDiscoverySpiTestSuite2: GridCachePartitionedNodeRestartTest.testRestartWithTxEightNodesTwoBackups [\(fail rate 2,0%\)](#)
- ZookeeperDiscoverySpiTestSuite2: GridCachePartitionedNodeRestartTest.testRestartWithTxSixNodesTwoBackups [\(fail rate 2,0%\)](#)
- ZookeeperDiscoverySpiTestSuite2: GridCacheReplicatedNodeRestartSelfTest.testRestartWithTxEightNodesTwoBackups [\(fail rate 2,0%\)](#)
- ZookeeperDiscoverySpiTestSuite2: GridCacheReplicatedNodeRestartSelfTest.testRestartWithTxTenNodesTwoBackups [\(fail rate 2,0%\)](#)

▣ [PDS 2](#) [ [tests 18 TIMEOUT \[2\]](#), [Exit Code \[3\]](#) ]

[Critical F.R.:](#)  
[6,0%](#)

- [6] IgnitePdsTestSuite2: IgnitePdsRecoveryAfterFileCorruptionTest.testPageRecoveryAfterFileCorruption [\(fail rate 22,0%\)](#)
- [8] IgnitePdsTestSuite2: LocalWalModeChangeDuringRebalancingSelfTest.testWithExchangesMerge [\(fail rate 20,0%\)](#)
- [6] IgnitePdsTestSuite2: IgniteWalReaderTest.testArchiveCompletedEventFired [\(fail rate 14,0%\)](#)
- [5] IgnitePdsTestSuite2: IgnitePdsTaskCancelingTest.testFailNodesOnCanceledTask [\(fail rate 13,0%\)](#)
- [5] IgnitePdsTestSuite2: LocalWalModeChangeDuringRebalancingSelfTest.testWalDisabledDuringRebalancing [\(fail rate 12,0%\)](#)
- [5] IgnitePdsTestSuite2: IgniteWalFormatFileFailoverTest.testFailureHandlerTriggered [\(fail rate 12,0%\)](#)
- [3] IgnitePdsTestSuite2: IgnitePdsCorruptedStoreTest.testNodeInvalidatedWhenPersistenceIsCorrupted [\(fail rate 10,0%\)](#)

- [3] IgnitePdsTestSuite2: IgniteWalFormatFileFailoverTest.testFailureHandlerTriggeredFsync [\(fail rate 8,0%\)](#)
- [2] IgnitePdsTestSuite2: IgnitePdsPartitionFilesDestroyTest.testPartitionFileDestroyCrashRecovery2 [\(fail rate 6,0%\)](#)
- [2] IgnitePdsTestSuite2: IgniteWalFlushFsyncWithDedicatedWorkerSelfTest.testFailAfterStart [\(fail rate 6,0%\)](#)
- [2] IgnitePdsTestSuite2: IgniteWalReaderTest.testArchiveIncompleteSegmentAfterInactivity [\(fail rate 6,0%\)](#)
- [2] IgnitePdsTestSuite2: IgnitePdsExchangeDuringCheckpointTest.testExchangeOnNodeJoin [\(fail rate 4,0%\)](#)
- [2] IgnitePdsTestSuite2: IgnitePdsWholeClusterRestartTest.testRestarts [\(fail rate 4,0%\)](#)
- [2] IgnitePdsTestSuite2: IgniteWalSerializerVersionTest.testCheckDifferentSerializerVersionsAndLogTimestamp [\(fail rate 4,0%\)](#)
- IgnitePdsTestSuite2: IgniteNodeStoppedDuringDisableWALTest.test [\(fail rate 2,6%\)](#)
- IgnitePdsTestSuite2: IgnitePdsCorruptedStoreTest.testCacheMetaCorruption [\(fail rate 2,0%\)](#)
- IgnitePdsTestSuite2: LocalWalModeChangeDuringRebalancingSelfTest.testParallelExchangeDuringRebalance [\(fail rate 2,0%\)](#)
- IgnitePdsTestSuite2: ClientAffinityAssignmentWithBaselineTest.testCrossCacheTx [\(fail rate 2,0%\)](#)

■ [Basic 1](#) [ [tests 6 TIMEOUT](#) [8], [Exit Code](#) [8] ]

[Critical F.R.:](#)  
[16,0%](#)

- [5] IgniteBasicTestSuite: ServiceDeploymentOutsideBaselineTest.testStaticDeployFromEachPersistentNodes [\(fail rate 20,0%\)](#)
- [2] IgniteBasicTestSuite: IgniteServiceReassignmentTest.testZombieAssignmentsCleanup [\(fail rate 7,1%\)](#)
- [2] IgniteBasicTestSuite: StopNodeOrHaltFailureHandlerTest.testJvmHalted [\(fail rate 6,0%\)](#)
- IgniteBasicTestSuite: ServiceDeploymentOnActivationTest.testClientsStaticConfigWithPersistence [\(fail rate 6,0%\)](#)
- IgniteBasicTestSuite: GridDiscoveryManagerAliveCacheSelfTest.testAlives [\(fail rate 4,0%\)](#)
- IgniteBasicTestSuite: BPlusTreeFakeReuseSelfTest.testSizeForRandomPutRmvMultithreadedAsync\_3 [\(fail rate 2,0%\)](#)

✖ ■ [PDS \(Direct IO\) 2](#) [ [tests 17 TIMEOUT](#) , [Exit Code](#) ]

[Critical F.R.:](#)  
[6,0%](#)

- ✖  [14] IgnitePdsNativeIoTestSuite2: IgnitePdsCorruptedStoreTest.testNodeInvalidatedWhenPersistenceIsCorrupted [\(fail rate 30,0%\)](#)
- ✖  [13] IgnitePdsNativeIoTestSuite2: IgnitePdsCorruptedStoreTest.testCacheMetaCorruption [\(fail rate 28,0%\)](#)
- [10] IgnitePdsNativeIoTestSuite2: IgnitePdsWholeClusterRestartTest.testRestarts [\(fail rate 28,0%\)](#)
- ✖  [11] IgnitePdsNativeIoTestSuite2: IgniteWalSerializerVersionTest.testCheckDifferentSerializerVersionsAndLogTimestamp [\(fail rate 28,0%\)](#)
- [7] IgnitePdsNativeIoTestSuite2: IgniteNodeStoppedDuringDisableWALTest.test [\(fail rate 21,6%\)](#)
- [6] IgnitePdsNativeIoTestSuite2: IgniteNativeIoLocalWalModeChangeDuringRebalancingSelfTest.testWithExchangesMerge [\(fail rate 18,0%\)](#)
- [7] IgnitePdsNativeIoTestSuite2: IgniteNativeIoPdsRecoveryAfterFileCorruptionTest.testPageRecoveryAfterFileCorruption [\(fail rate 18,0%\)](#)
- [4] IgnitePdsNativeIoTestSuite2: IgnitePdsExchangeDuringCheckpointTest.testExchangeOnNodeJoin [\(fail rate 12,0%\)](#)
- [2] IgnitePdsNativeIoTestSuite2: IgniteWalFormatFileFailoverTest.testFailureHandlerTriggered [\(fail rate 12,0%\)](#)
- ✖  [2] IgnitePdsNativeIoTestSuite2: IgniteWalIteratorSwitchSegmentTest.test [\(fail rate 12,0%\)](#)
- [4] IgnitePdsNativeIoTestSuite2: IgniteNativeIoWalFlushFsyncSelfTest.testFailAfterStart [\(fail rate 10,2%\)](#)
- [3] IgnitePdsNativeIoTestSuite2: IgniteWalReaderTest.testArchiveIncompleteSegmentAfterInactivity [\(fail rate 8,0%\)](#)
- [2] IgnitePdsNativeIoTestSuite2: IgniteNativeIoLocalWalModeChangeDuringRebalancingSelfTest.testParallelExchangeDuringRebalance [\(fail rate 4,0%\)](#)
- [2] IgnitePdsNativeIoTestSuite2: IgnitePdsExchangeDuringCheckpointTest.testExchangeOnNodeLeft [\(fail rate 4,0%\)](#)
- [2] IgnitePdsNativeIoTestSuite2: IgniteNativeIoWalFlushFsyncSelfTest.testFailWhileStart [\(fail rate 4,0%\)](#)
- IgnitePdsNativeIoTestSuite2: IgniteWalFormatFileFailoverTest.testFailureHandlerTriggeredFsync [\(fail rate 2,0%\)](#)
- IgnitePdsNativeIoTestSuite2: WalCompactionTest.testCompressorToleratesEmptyWalSegmentsFsync [\(fail rate 2,0%\)](#)

■ [Platform .NET](#) [ [tests 13 TIMEOUT](#) ]

<input type="checkbox"/>	[28] exe: DataStreamerTest.TestFinalizer	(fail rate 86,0%)
<input type="checkbox"/>	[28] exe: DataStreamerTest.TestObjectGraphs	(fail rate 86,0%)
<input type="checkbox"/>	[28] exe: DataStreamerTest.TestPropertyPropagation	(fail rate 86,0%)
<input type="checkbox"/>	[28] exe: DataStreamerTest.TestStreamReceiver	(fail rate 86,0%)
<input type="checkbox"/>	[28] exe: DataStreamerTest.TestStreamReceiverKeepBinary	(fail rate 86,0%)
<input type="checkbox"/>	[28] exe: DataStreamerTest.TestStreamTransformer	(fail rate 86,0%)
<input type="checkbox"/>	[28] exe: DataStreamerTest.TestStreamVisitor	(fail rate 86,0%)
<input type="checkbox"/>	[28] exe: DataStreamerTest.TestTryFlush	(fail rate 86,0%)
<input type="checkbox"/>	[9] exe: DataStorageMetricsTest.TestDataStorageMetrics	(fail rate 28,0%)
<input checked="" type="checkbox"/>	[8] exe: DefaultLoggerTest.TestJavaLogger	(fail rate 22,0%)
<input type="checkbox"/>	[2] exe: CacheQueriesTest.TestSqlFieldsQuery(True,True,True,True)	(fail rate 4,0%)
<input type="checkbox"/>	exe: ServicesTest.TestWithKeepBinaryServer	(fail rate 4,0%)
<input type="checkbox"/>	exe: ServicesTestFullFooter.TestDeploy(False)	(fail rate 4,0%)

Critical F.R.:  
2,0%

■ [Cache 1](#) [ [tests 12](#) ]

<input checked="" type="checkbox"/>	[30] IgniteBinaryCacheTestSuite: GridCacheLifecycleAwareSelfTest.testLifecycleAware	(fail rate 70,0%)
<input type="checkbox"/>	[6] IgniteBinaryCacheTestSuite: CacheAffinityCallSelfTest.testAffinityCallRestartNode	(fail rate 14,0%)
<input type="checkbox"/>	[5] IgniteBinaryCacheTestSuite: CacheAffinityCallSelfTest.testAffinityCallFromClientRestartNode	(fail rate 10,0%)
<input type="checkbox"/>	[3] IgniteBinaryCacheTestSuite: IgniteCommunicationBalanceTest.testBalance2	(fail rate 8,0%)
<input type="checkbox"/>	[3] IgniteBinaryCacheTestSuite: IgniteCommunicationBalancePairedConnectionsTest.testBalance2	(fail rate 6,0%)
<input type="checkbox"/>	[3] IgniteBinaryCacheTestSuite: IgniteCacheMessageRecoveryIdleConnectionTest.testCacheOperationsIdleConnectionCloseAtomic	(fail rate 6,0%)
<input type="checkbox"/>	[2] IgniteBinaryCacheTestSuite: IgniteCommunicationBalancePairedConnectionsTest.testRandomBalance	(fail rate 4,0%)
<input type="checkbox"/>	IgniteBinaryCacheTestSuite: IgniteCacheEntryListenerTxReplicatedTest.testSynchronousEventsObjectKeyValue	(fail rate 4,0%)
<input type="checkbox"/>	IgniteBinaryCacheTestSuite: GridCacheBalancingStoreSelfTest.testConcurrentLoadAllCustomThreshold	(fail rate 2,0%)
<input type="checkbox"/>	IgniteBinaryCacheTestSuite: GridCacheBalancingStoreSelfTest.testConcurrentLoadCustomThreshold	(fail rate 2,0%)
<input type="checkbox"/>	IgniteBinaryCacheTestSuite: CachePutEventListenerErrorSelfTest.testReplicatedTransactionalOnHeap	(fail rate 2,0%)
<input type="checkbox"/>	IgniteBinaryCacheTestSuite: IgniteCacheEntryListenerTxLocalTest.testEventsObjectKeyValue	(fail rate 2,0%)

■ [Platform .NET \(Long Running\)](#) [ [tests 18](#) ]

<input type="checkbox"/>	[5] exe: Cache.CacheTestSsl	(fail rate 100,0%)
<input checked="" type="checkbox"/>	[30] exe: CacheAbstractTest.TestWithExpiryPolicy	(fail rate 88,0%)
<input checked="" type="checkbox"/>	[30] exe: CacheReplicatedAtomicTest.TestPut(False)	(fail rate 88,0%)
<input checked="" type="checkbox"/>	[30] exe: CacheReplicatedAtomicTest.TestPut(True)	(fail rate 88,0%)
<input checked="" type="checkbox"/>	[30] exe: CacheReplicatedAtomicTest.TestPutAll(False)	(fail rate 88,0%)
<input checked="" type="checkbox"/>	[30] exe: CacheReplicatedAtomicTest.TestPutAll(True)	(fail rate 88,0%)
<input checked="" type="checkbox"/>	[30] exe: CacheReplicatedAtomicTest.TestPutIfAbsent(False)	(fail rate 88,0%)

- ✘  [30] exe: CacheReplicatedAtomicTest.TestPutIfAbsent(True) (fail rate 88,0%)
- ✘  [30] exe: CacheAbstractTest.TestWithExpiryPolicy (fail rate 88,0%)
- ✘  [30] exe: CacheAbstractTransactionalTest.TestLockSimple (fail rate 88,0%)
- ✘  [30] exe: CacheAbstractTransactionalTest.TestNestedTransactionScope (fail rate 88,0%)
- ✘  [30] exe: CacheAbstractTransactionalTest.TestSuppressedTransactionScope (fail rate 88,0%)
- [17] exe: IgniteStartStopTest.TestProcessorInit (fail rate 48,0%)
- [5] exe: ClientConnectionTest.TestClientDisposeWhileOperationsAreInProgress (fail rate 16,0%)
- [2] exe: CacheTest.TestPutGetAsyncMultithreaded (fail rate 6,0%)
- exe: CacheDynamicStartTest.TestAtomic (fail rate 4,0%)
- exe: CacheAbstractTest.TestCacheConfigurationExpiryPolicy (fail rate 2,0%)
- exe: PeerAssemblyLoadingAllApisTest.TestComputeApply(True) (fail rate 2,0%)

#### ▣ [Continuous Query 1](#) [ [tests 11 Exit Code](#) ]

- [26] IgniteCacheQuerySelfTestSuite3: CacheContinuousQueryOperationFromCallbackTest.testAtomicTwoBackups (fail rate 90,0%)
- [5] IgniteCacheQuerySelfTestSuite3: CacheContinuousQueryOrderingEventTest.testAtomicOnheapTwoBackupAsyncFullSync (fail rate 16,0%)
- IgniteCacheQuerySelfTestSuite3: CacheContinuousQueryOrderingEventTest.testAtomicReplicatedAsync (fail rate 6,0%)
- IgniteCacheQuerySelfTestSuite3: CacheContinuousWithTransformerLocalSelfTest.testContinuousWithTransformerAndRegularListenerAsync (fail rate 6,0%)
- IgniteCacheQuerySelfTestSuite3: CacheContinuousWithTransformerReplicatedSelfTest.testContinuousWithTransformerAndRegularListenerAsync (fail rate 6,0%)
- [2] IgniteCacheQuerySelfTestSuite3: CacheContinuousWithTransformerLocalSelfTest.testContinuousWithTransformerKeepBinaryAsync (fail rate 4,0%)
- IgniteCacheQuerySelfTestSuite3: IgniteCacheContinuousQueryBackupQueueTest.testManyQueryBackupQueue (fail rate 4,0%)
- IgniteCacheQuerySelfTestSuite3: CacheContinuousQueryOperationFromCallbackTest.testTxReplicatedFilter (fail rate 2,0%)
- IgniteCacheQuerySelfTestSuite3: CacheContinuousWithTransformerClientSelfTest.testContinuousWithTransformerAndRegularListenerAsync (fail rate 2,0%)
- IgniteCacheQuerySelfTestSuite3: GridCacheContinuousQueryAtomicNearEnabledSelfTest.testExpired (fail rate 2,0%)
- IgniteCacheQuerySelfTestSuite3: GridCacheContinuousQueryAtomicSelfTest.testExpired (fail rate 2,0%)

#### ▣ [IGFS \(Linux and MacOS\)](#) [ [tests 0 Exit Code \[29\]](#) ]

#### ▣ [PDS \(Direct IO\) 1](#) [ [tests 15 TIMEOUT](#), [JVM CRASH](#), [Exit Code \[2\]](#) ]

- [12] IgnitePdsNativeIoTestSuite: IgniteClusterActivateDeactivateTestWithPersistence.testClientReconnectClusterActivated (fail rate 40,0%)
- [7] IgnitePdsNativeIoTestSuite: IgnitePdsCacheConfigurationFileConsistencyCheckTest.testCorruptedCacheConfigurationsValidation (fail rate 23,5%)
- ✘  [8] IgnitePdsNativeIoTestSuite: IgniteClusterActivateDeactivateTestWithPersistence.testDeactivateDuringEvictionAndRebalance (fail rate 20,0%)
- [8] IgnitePdsNativeIoTestSuite: IgnitePdsCheckpointSimulationWithRealCpDisabledTest.testCheckpointSimulationMultiThreaded (fail rate 20,0%)
- [4] IgnitePdsNativeIoTestSuite: IgnitePdsDataRegionMetricsTest.testMemoryUsageSingleNode (fail rate 12,0%)
- [5] IgnitePdsNativeIoTestSuite: IgniteDbPutGetWithCacheStoreTest.testWriteThrough (fail rate 12,0%)
- [4] IgnitePdsNativeIoTestSuite: IgnitePdsCacheConfigurationFileConsistencyCheckTest.testStartDuplicatedCacheConfigurations (fail rate 11,8%)
- [4] IgnitePdsNativeIoTestSuite: IgniteDbPutGetWithCacheStoreTest.testReadThrough (fail rate 10,0%)
- IgnitePdsNativeIoTestSuite: IgnitePdsDynamicCacheTest.testRestartAndCreate (fail rate 4,0%)

Critical F.R.:  
8,0%

- IgnitePdsNativeIoTestSuite: IgnitePdsDataRegionMetricsTest.testMemoryUsageMultipleNodes [\(fail rate 4,0%\)](#)
- [2] IgnitePdsNativeIoTestSuite: IgnitePdsWithTtlTest.testStartStopAfterRebalanceWithTtlExpirable [\(fail rate 4,0%\)](#)
- [2] IgnitePdsNativeIoTestSuite: IgnitePdsWithTtlTest.testTtlIsApplied [\(fail rate 4,0%\)](#)
- [2] IgnitePdsNativeIoTestSuite: IgnitePdsWithTtlTest.testTtlIsAppliedAfterRestart [\(fail rate 4,0%\)](#)
- IgnitePdsNativeIoTestSuite: IgniteClusterActivateDeactivateTestWithPersistence.testActivateCachesRestore\_5\_Servers\_WithNewCaches [\(fail rate 2,0%\)](#)
- IgnitePdsNativeIoTestSuite: IgniteClusterActivateDeactivateTestWithPersistence.testDeactivateSimple\_5\_Servers\_5\_Clients\_FromClient [\(fail rate 2,0%\)](#)

#### Cache 4 [ [tests 20](#) ]

- [9] IgniteCacheTestSuite4: CacheStopAndDestroySelfTest.testDhtDoubleDestroy [\(fail rate 24,0%\)](#)
- [10] IgniteCacheTestSuite4: CacheStopAndDestroySelfTest.testNearDoubleDestroy [\(fail rate 22,0%\)](#)
- [7] IgniteCacheTestSuite4: CacheStopAndDestroySelfTest.testLocalDoubleDestroy [\(fail rate 16,0%\)](#)
- [6] IgniteCacheTestSuite4: CacheStopAndDestroySelfTest.testDhtClose [\(fail rate 14,0%\)](#)
- [6] IgniteCacheTestSuite4: CacheStopAndDestroySelfTest.testClientCloseWithTry [\(fail rate 12,0%\)](#)
- [6] IgniteCacheTestSuite4: CacheStopAndDestroySelfTest.testNearCloseWithTry [\(fail rate 12,0%\)](#)
- [5] IgniteCacheTestSuite4: CacheStopAndDestroySelfTest.testLocalClose [\(fail rate 10,0%\)](#)
- [5] IgniteCacheTestSuite4: CacheStopAndDestroySelfTest.testTckStyleCreateDestroyClose [\(fail rate 10,0%\)](#)
- [3] IgniteCacheTestSuite4: CacheStopAndDestroySelfTest.testClientClose [\(fail rate 8,0%\)](#)
- [3] IgniteCacheTestSuite4: CacheStopAndDestroySelfTest.testClientDoubleDestroy [\(fail rate 8,0%\)](#)
- [2] IgniteCacheTestSuite4: CacheStopAndDestroySelfTest.testDhtCloseWithTry [\(fail rate 8,0%\)](#)
- [4] IgniteCacheTestSuite4: CacheStopAndDestroySelfTest.testLocalCloseWithTry [\(fail rate 8,0%\)](#)
- [2] IgniteCacheTestSuite4: CacheStopAndDestroySelfTest.testNearClose [\(fail rate 8,0%\)](#)
- [2] IgniteCacheTestSuite4: CacheStoreUsageMultinodeStaticStartTxTest.testStaticConfigurationTxWriteBehindStore [\(fail rate 4,0%\)](#)
- IgniteCacheTestSuite4: CacheStoreUsageMultinodeStaticStartTxTest.testStaticConfigurationTxWriteBehindStoreNoClientStoreNearEnabled [\(fail rate 4,0%\)](#)
- IgniteCacheTestSuite4: CacheStoreUsageMultinodeDynamicStartAtomicTest.testDynamicStartFromClientWriteBehindStore [\(fail rate 2,0%\)](#)
- IgniteCacheTestSuite4: CacheStoreUsageMultinodeDynamicStartTxTest.testDynamicStartFromClientWriteBehindStore [\(fail rate 2,0%\)](#)
- IgniteCacheTestSuite4: CacheStoreUsageMultinodeDynamicStartTxTest.testDynamicStartWriteBehindStore [\(fail rate 2,0%\)](#)
- IgniteCacheTestSuite4: CacheStoreUsageMultinodeStaticStartAtomicTest.testStaticConfigurationTxWriteBehindStoreNearEnabled [\(fail rate 2,0%\)](#)
- IgniteCacheTestSuite4: IgniteDynamicCacheStartStopConcurrentTest.testConcurrentStartStop [\(fail rate 2,0%\)](#)

#### Cache (Restarts) 1 [ [tests 5](#) [TIMEOUT \[2\]](#), [Exit Code \[2\]](#) ]

- [2] IgniteCacheRestartTestSuite: GridCacheReplicatedNodeRestartSelfTest.testRestartWithTxTenNodesTwoBackups [\(fail rate 10,0%\)](#)
- [2] IgniteCacheRestartTestSuite: GridCachePartitionedNearDisabledOptimisticTxNodeRestartTest.testRestartWithTxTenNodesTwoBackups [\(fail rate 6,0%\)](#)
- IgniteCacheRestartTestSuite: GridCachePartitionedNodeRestartTest.testRestartWithPutEightNodesTwoBackups [\(fail rate 2,0%\)](#)
- IgniteCacheRestartTestSuite: GridCachePartitionedNodeRestartTest.testRestartWithTxPutAllTenNodesTwoBackups [\(fail rate 2,0%\)](#)
- IgniteCacheRestartTestSuite: GridCacheReplicatedNodeRestartSelfTest.testRestartWithTxEightNodesTwoBackups [\(fail rate 2,0%\)](#)

#### Cache 3 [ [tests 12](#) ]

- [3] IgniteBinaryObjectsCacheTestSuite3: IgniteTopologyValidatorGridSplitCacheTest.testTopologyValidatorWithCacheGroup [\(fail rate 10,0%\)](#)

Critical F.R.:  
[16,0%](#)

- [5] IgniteBinaryObjectsCacheTestSuite3: IgniteCacheClientWriteBehindStoreAtomicTest.testClientWithoutStore (fail rate 10,0%)
- [2] IgniteBinaryObjectsCacheTestSuite3: GridCacheWriteBehindStoreMultithreadedSelfTest.testFlushFromTheSameThreadWithCoalescing (fail rate 8,0%)
- IgniteBinaryObjectsCacheTestSuite3: IgniteCacheGroupsTest.testEntriesTtlAtomicReplicated (fail rate 4,0%)
- [2] IgniteBinaryObjectsCacheTestSuite3: OffheapCacheMetricsForClusterGroupSelfTest.testGetOffHeapPrimaryEntriesCount (fail rate 4,0%)
- [2] IgniteBinaryObjectsCacheTestSuite3: GridCacheRebalancingWithAsyncClearingTest.testPartitionClearingNotBlockExchange (fail rate 4,0%)
- IgniteBinaryObjectsCacheTestSuite3: IgniteCacheClientWriteBehindStoreTxTest.testClientWithoutStore (fail rate 4,0%)
- IgniteBinaryObjectsCacheTestSuite3: GridCacheInterceptorTransactionalRebalanceTest.testRebalanceRemove (fail rate 2,0%)
- IgniteBinaryObjectsCacheTestSuite3: IgniteCacheGroupsTest.testCacheApiTxReplicated (fail rate 2,0%)
- IgniteBinaryObjectsCacheTestSuite3: GridCacheNearOnlyTopologySelfTest.testNodeLeave (fail rate 2,0%)
- IgniteBinaryObjectsCacheTestSuite3: GridCacheRebalancingSyncSelfTest.testSimpleRebalancing (fail rate 2,0%)
- IgniteBinaryObjectsCacheTestSuite3: GridCacheAtomicLocalTckMetricsSelfTestImpl.testNonTxEvictions (fail rate 2,0%)

■ [Cache \(Deadlock Detection\)](#) [ [tests 3 TIMEOUT \[3\]](#), [Exit Code \[3\]](#) ]

Critical F.R.:  
8,0%

- [2] TxDeadlockDetectionTestSuite: TxPessimisticDeadlockDetectionTest.testDeadlocksPartitioned (fail rate 6,0%)
- [3] TxDeadlockDetectionTestSuite: TxPessimisticDeadlockDetectionTest.testDeadlocksReplicated (fail rate 6,0%)
- [2] TxDeadlockDetectionTestSuite: TxPessimisticDeadlockDetectionTest.testDeadlocksPartitionedNear (fail rate 4,0%)

■ [Queries \(Binary Objects Simple Mapper\)](#) [ [tests 10 TIMEOUT \[2\]](#), [Exit Code \[3\]](#) ]

Critical F.R.:  
4,0%

- [3] IgniteBinarySimpleNameMapperCacheQueryTestSuite: SchemaExchangeSelfTest.testClientCacheStartStatic (fail rate 12,0%)
- [2] IgniteBinarySimpleNameMapperCacheQueryTestSuite: SchemaExchangeSelfTest.testNonEmptyDynamic (fail rate 10,0%)
- IgniteBinarySimpleNameMapperCacheQueryTestSuite: SchemaExchangeSelfTest.testDynamicRestarts (fail rate 8,0%)
- [2] IgniteBinarySimpleNameMapperCacheQueryTestSuite: IgniteCacheJoinQueryWithAffinityKeyTest.testJoinQueryEscapeAll (fail rate 6,0%)
- [2] IgniteBinarySimpleNameMapperCacheQueryTestSuite: IgniteCacheJoinQueryWithAffinityKeyTest.testJoinQueryWithAffinityKeyNotQueryFieldEscapeAll (fail rate 6,0%)
- [2] IgniteBinarySimpleNameMapperCacheQueryTestSuite: IgniteCacheJoinQueryWithAffinityKeyTest.testJoinQueryWithAffinityKey (fail rate 4,0%)
- [2] IgniteBinarySimpleNameMapperCacheQueryTestSuite: IgniteCacheJoinQueryWithAffinityKeyTest.testJoinQueryWithAffinityKeyEscapeAll (fail rate 4,0%)
- IgniteBinarySimpleNameMapperCacheQueryTestSuite: IgniteSqlSplitterSelfTest.testReplicatedTablesUsingPartitionedCacheClient (fail rate 4,0%)
- IgniteBinarySimpleNameMapperCacheQueryTestSuite: IgniteCacheJoinQueryWithAffinityKeyTest.testJoinQuery (fail rate 2,0%)
- IgniteBinarySimpleNameMapperCacheQueryTestSuite: IgniteDynamicSqlRestoreTest.testMergeChangedConfigOnCoordinator (fail rate 2,0%)

■ [SPI](#) [ [tests 16](#) ]

- [4] IgniteSpiTestSuite: GridTcpCommunicationSpiConfigSelfTest.testLocalPortRange (fail rate 14,0%)
- [2] IgniteSpiTestSuite: TcpDiscoveryWithWrongServerTest.testEarlyDisconnect (fail rate 8,0%)
- [2] IgniteSpiTestSuite: TcpDiscoveryWithWrongServerTest.testDisconnectOnRequest (fail rate 6,0%)
- [2] IgniteSpiTestSuite: TcpDiscoveryWithWrongServerTest.testNoHandshakeResponse (fail rate 6,0%)
- [2] IgniteSpiTestSuite: TcpDiscoveryWithWrongServerTest.testWrongHandshakeResponse (fail rate 6,0%)
- [3] IgniteSpiTestSuite: GridRoundRobinLoadBalancingNotPerTaskMultithreadedSelfTest.testMultipleTaskSessionsMultithreaded (fail rate 6,0%)
- IgniteSpiTestSuite: GridTcpCommunicationSpiRecoveryFailureDetectionSelfTest.testBlockRead2 (fail rate 2,0%)



- IgniteSpiTestSuite: GridTcpCommunicationSpiSslSelfTest.testSendToOneNode [\(fail rate 2,0%\)](#)
- IgniteSpiTestSuite: TcpCommunicationSpiDropNodesTest.testTwoNodesEachOther [\(fail rate 2,0%\)](#)
- IgniteSpiTestSuite: TcpCommunicationSpiFaultyClientTest.testNotAcceptedConnection [\(fail rate 2,0%\)](#)
- IgniteSpiTestSuite: TcpCommunicationSpiSkipMessageSendTest.testClientSegmented [\(fail rate 2,0%\)](#)
- IgniteSpiTestSuite: TcpClientDiscoverySpiMulticastTest.testJoinWithMulticast [\(fail rate 2,0%\)](#)
- IgniteSpiTestSuite: TcpDiscoverySelfTest.testFailedNodes3 [\(fail rate 2,0%\)](#)
- IgniteSpiTestSuite: TcpDiscoverySslSelfTest.testFailedNodes3 [\(fail rate 2,0%\)](#)
- IgniteSpiTestSuite: TcpDiscoverySslSelfTest.testFailedNodes4 [\(fail rate 2,0%\)](#)
- IgniteSpiTestSuite: TcpDiscoverySslTrustedSelfTest.testMulticastIpFinder [\(fail rate 2,0%\)](#)

#### ■ [Start Nodes \[ tests 18 \]](#)

- [14] IgniteStartStopRestartTestSuite: IgniteProjectionStartStopRestartSelfTest.testStopNodes [\(fail rate 44,0%\)](#)
- [7] IgniteStartStopRestartTestSuite: IgniteProjectionStartStopRestartSelfTest.testStartFiveNodesInTwoCalls [\(fail rate 28,0%\)](#)
- [3] IgniteStartStopRestartTestSuite: IgniteProjectionStartStopRestartSelfTest.testRestartNodesFiltered [\(fail rate 20,0%\)](#)
- [3] IgniteStartStopRestartTestSuite: IgniteProjectionStartStopRestartSelfTest.testRestartNodesByIdsC [\(fail rate 18,0%\)](#)
- [3] IgniteStartStopRestartTestSuite: IgniteProjectionStartStopRestartSelfTest.testStartThreeNodesAndTryToStartOneNode [\(fail rate 18,0%\)](#)
- IgniteStartStopRestartTestSuite: IgniteProjectionStartStopRestartSelfTest.testStopNodeById [\(fail rate 18,0%\)](#)
- [2] IgniteStartStopRestartTestSuite: IgniteProjectionStartStopRestartSelfTest.testRestartNodeById [\(fail rate 16,0%\)](#)
- [2] IgniteStartStopRestartTestSuite: IgniteProjectionStartStopRestartSelfTest.testRestartNodes [\(fail rate 16,0%\)](#)
- [2] IgniteStartStopRestartTestSuite: IgniteProjectionStartStopRestartSelfTest.testStartThreeNodesAndDoEmptyCall [\(fail rate 16,0%\)](#)
- [3] IgniteStartStopRestartTestSuite: IgniteProjectionStartStopRestartSelfTest.testStartThreeNodesAndRestart [\(fail rate 16,0%\)](#)
- [2] IgniteStartStopRestartTestSuite: IgniteProjectionStartStopRestartSelfTest.testStopNodesByIds [\(fail rate 16,0%\)](#)
- [2] IgniteStartStopRestartTestSuite: IgniteProjectionStartStopRestartSelfTest.testStopNodesByIdsC [\(fail rate 16,0%\)](#)
- [2] IgniteStartStopRestartTestSuite: IgniteProjectionStartStopRestartSelfTest.testRestartNodesByIds [\(fail rate 14,0%\)](#)
- IgniteStartStopRestartTestSuite: IgniteProjectionStartStopRestartSelfTest.testStartFiveWithTwoSpecs [\(fail rate 14,0%\)](#)
- IgniteStartStopRestartTestSuite: IgniteProjectionStartStopRestartSelfTest.testStartThreeNodes [\(fail rate 14,0%\)](#)
- IgniteStartStopRestartTestSuite: IgniteProjectionStartStopRestartSelfTest.testStopNodesFiltered [\(fail rate 14,0%\)](#)
- [2] IgniteStartStopRestartTestSuite: IgniteProjectionStartStopRestartSelfTest.testCustomScript [\(fail rate 12,0%\)](#)
- IgniteStartStopRestartTestSuite: IgniteProjectionStartStopRestartSelfTest.testStartOneNode [\(fail rate 12,0%\)](#)

#### ■ [Basic 2 \[ tests 4 Exit Code \[5\] \]](#)

- [8] IgniteServiceConfigVariationsFullApiTestSuite: IgniteServiceConfigVariationsFullApiTest.testClusterSingletonDeploy [\(fail rate 24,0%\)](#)
- [9] IgniteServiceConfigVariationsFullApiTestSuite: IgniteServiceConfigVariationsFullApiTest.testDeploy [\(fail rate 24,0%\)](#)
- [2] IgniteIpcTestSuite: IpcSharedMemoryCrashDetectionSelfTest.testIgfsServerClientInteractionsUponClientKilling [\(fail rate 6,0%\)](#)
- IgniteServiceConfigVariationsFullApiTestSuite: IgniteServiceConfigVariationsFullApiTest.testMultipleDeploy [\(fail rate 2,0%\)](#)

#### ■ [Hadoop \[ tests 10 Exit Code \[10\] \]](#)

- IgniteHadoopTestSuite: HadoopSortingTest.testSortSimple [\(fail rate 8,0%\)](#)

- [2] IgniteHadoopTestSuite: HadoopGroupingTest.testGroupingCombiner (fail rate 6,0%)
- IgniteHadoopTestSuite: HadoopSerializationWrapperSelfTest.testIntJavaSerialization (fail rate 6,0%)
- IgniteHadoopTestSuite: HadoopSplitWrapperSelfTest.testSerialization (fail rate 6,0%)
- IgniteHadoopTestSuite: HadoopTaskExecutionSelfTest.testJobKill (fail rate 6,0%)
- IgniteHadoopTestSuite: HadoopTasksV1Test.testReduceTask (fail rate 6,0%)
- IgniteHadoopTestSuite: HadoopV2JobSelfTest.testCustomSerializationApplying (fail rate 6,0%)
- [2] IgniteHadoopTestSuite: HadoopGroupingTest.testGroupingReducer (fail rate 4,0%)
- IgniteHadoopTestSuite: HadoopConcurrentHashMapSelfTest.testMultiThreaded (fail rate 4,0%)
- IgniteHadoopTestSuite: HadoopClientProtocolEmbeddedSelfTest.testJobCounters (fail rate 2,0%)

■ [Queries 1 \[ tests 20 \]](#)

- [5] IgniteBinaryCacheQueryTestSuite: SchemaExchangeSelfTest.testClientCacheStartDynamic (fail rate 10,0%)
- [2] IgniteBinaryCacheQueryTestSuite: SchemaExchangeSelfTest.testEmptyDynamic (fail rate 8,0%)
- [2] IgniteBinaryCacheQueryTestSuite: SchemaExchangeSelfTest.testEmptyStatic (fail rate 8,0%)
- [2] IgniteBinaryCacheQueryTestSuite: SchemaExchangeSelfTest.testNonEmptyDynamic (fail rate 6,0%)
- IgniteBinaryCacheQueryTestSuite: SchemaExchangeSelfTest.testNonEmptyStatic (fail rate 6,0%)
- [2] IgniteBinaryCacheQueryTestSuite: IgniteCacheJoinQueryWithAffinityKeyTest.testJoinQuery (fail rate 4,0%)
- IgniteBinaryCacheQueryTestSuite: SchemaExchangeSelfTest.testClientCacheStartStatic (fail rate 4,0%)
- IgniteBinaryCacheQueryTestSuite: SchemaExchangeSelfTest.testDynamicRestarts (fail rate 4,0%)
- [2] IgniteBinaryCacheQueryTestSuite: IgniteSqlSplitterSelfTest.testReplicatedTablesUsingPartitionedCacheSegmentedClientRO (fail rate 4,0%)
- IgniteBinaryCacheQueryTestSuite: IgniteCacheJoinQueryWithAffinityKeyTest.testJoinQueryEscapeAll (fail rate 2,0%)
- IgniteBinaryCacheQueryTestSuite: IgniteCacheJoinQueryWithAffinityKeyTest.testJoinQueryWithAffinityKeyNotQueryFieldEscapeAll (fail rate 2,0%)
- IgniteBinaryCacheQueryTestSuite: IgniteDynamicSqlRestoreTest.testFailJoiningNodeBecauseNeedConfigUpdateOnActiveGrid (fail rate 2,0%)
- IgniteBinaryCacheQueryTestSuite: IgniteDynamicSqlRestoreTest.testMergeChangedConfigOnCoordinator (fail rate 2,0%)
- IgniteBinaryCacheQueryTestSuite: IgniteDynamicSqlRestoreTest.testMergeChangedConfigOnInactiveGrid (fail rate 2,0%)
- IgniteBinaryCacheQueryTestSuite: IgniteDynamicSqlRestoreTest.testResaveConfigAfterMerge (fail rate 2,0%)
- IgniteBinaryCacheQueryTestSuite: IgniteDynamicSqlRestoreTest.testTakeChangedConfigOnActiveGrid (fail rate 2,0%)
- IgniteBinaryCacheQueryTestSuite: DynamicIndexClientBasicSelfTest.testCreateIndexWithInlineSizeReplicatedAtomic (fail rate 2,0%)
- IgniteBinaryCacheQueryTestSuite: DynamicIndexServerNodeFilterCoordinatorBasicSelfTest.testCreateIndexWithInlineSizeReplicatedAtomic (fail rate 2,0%)
- IgniteBinaryCacheQueryTestSuite: IgniteSqlSplitterSelfTest.testReplicatedTablesUsingPartitionedCacheClientRO (fail rate 2,0%)
- IgniteBinaryCacheQueryTestSuite: IgniteSqlSplitterSelfTest.testReplicatedTablesUsingPartitionedCacheSegmentedClient (fail rate 2,0%)

■ [Cache 2 \[ tests 8 TIMEOUT, Exit Code \]](#)

- IgniteCacheTestSuite2: CacheOptimisticTransactionsWithFilterSingleServerTest.testCasReplace (fail rate 4,0%)
- IgniteCacheTestSuite2: CacheOptimisticTransactionsWithFilterSingleServerTest.testPutIfAbsent (fail rate 4,0%)
- IgniteCacheTestSuite2: CacheOptimisticTransactionsWithFilterSingleServerTest.testRemoveWithOldValue (fail rate 4,0%)
- IgniteCacheTestSuite2: CacheOptimisticTransactionsWithFilterSingleServerTest.testReplace (fail rate 4,0%)
- IgniteCacheTestSuite2: CacheConcurrentReadThroughTest.testConcurrentReadThrough (fail rate 2,0%)

Critical F.R.:  
8,0%

- ❑ IgniteCacheTestSuite2: CacheTxLoadingConcurrentGridStartSelfTestAllowOverwrite.testLoadCacheWithDataStreamer (fail rate 2,0%)
- ❑ IgniteCacheTestSuite2: GridCacheDhtPreloadUnloadSelfTest.testUnloadZeroBackupsTwoNodes (fail rate 2,0%)
- ❑ IgniteCacheTestSuite2: GridCacheLocalMultithreadedSelfTest.testBasicLocks (fail rate 2,0%)

#### ❑ [Binary Objects \(Simple Mapper Compute Grid\)](#) [ [tests 9](#) ]

- ❑ [3] IgniteBinaryObjectsSimpleNameMapperComputeGridTestSuite: GridMultithreadedJobStealingSelfTest.testJoinedNodeCanStealJobs (fail rate 6,0%)
- ❑ [2] IgniteBinaryObjectsSimpleNameMapperComputeGridTestSuite: GridTaskTimeoutSelfTest.testAsynchronousTimeout (fail rate 6,0%)
- ❑ [2] IgniteBinaryObjectsSimpleNameMapperComputeGridTestSuite: GridSessionLoadSelfTest.testSessionLoadNoLocalMarshalling (fail rate 6,0%)
- ❑ [2] IgniteBinaryObjectsSimpleNameMapperComputeGridTestSuite: GridMultinodeRedeploySharedModeSelfTest.testSharedMode (fail rate 4,0%)
- ❑ IgniteBinaryObjectsSimpleNameMapperComputeGridTestSuite: ClusterNodeMetricsSelfTest.testSingleTaskMetrics (fail rate 2,0%)
- ❑ IgniteBinaryObjectsSimpleNameMapperComputeGridTestSuite: GridJobStealingSelfTest.testProjectionPredicateDifferentClassLoaders (fail rate 2,0%)
- ❑ IgniteBinaryObjectsSimpleNameMapperComputeGridTestSuite: GridJobStealingSelfTest.testTwoJobs (fail rate 2,0%)
- ❑ IgniteBinaryObjectsSimpleNameMapperComputeGridTestSuite: GridMultithreadedJobStealingSelfTest.testTwoJobsMultithreaded (fail rate 2,0%)
- ❑ IgniteBinaryObjectsSimpleNameMapperComputeGridTestSuite: GridSessionLoadSelfTest.testSessionLoad (fail rate 2,0%)

#### ❑ [Cache \(Restarts\) 2](#) [ [tests 2](#) ]

- ❑ [3] IgniteCacheRestartTestSuite2: IgniteCachePutAllRestartTest.testStopNode (fail rate 12,0%)
- ❑ [2] IgniteCacheRestartTestSuite2: IgniteCacheGetRestartTest.testGetRestartReplicated (fail rate 6,0%)

#### ❑ [Java Client](#) [ [tests 3 Exit Code](#) ]

- ❑ [2] IgniteClientTestSuite: ClientTcpSslMultiThreadedSelfTest.testMultithreadedTaskRun (fail rate 4,0%)
- ❑ IgniteClientTestSuite: ClientPreferDirectSelfTest.testRoundRobinBalancer (fail rate 2,0%)
- ❑ IgniteClientTestSuite: ClientTcpDirectMultiNodeSelfTest.testTopologyListener (fail rate 2,0%)

#### ❑ [Queries 2](#) [ [tests 5](#) ]

- ❑ [3] IgniteBinaryCacheQueryTestSuite2: DynamicColumnsConcurrentAtomicPartitionedSelfTest.testDropColumnCoordinatorChange (fail rate 6,0%)
- ❑ IgniteBinaryCacheQueryTestSuite2: DynamicColumnsConcurrentTransactionalPartitionedSelfTest.testDropColumnCoordinatorChange (fail rate 6,0%)
- ❑ IgniteBinaryCacheQueryTestSuite2: DynamicColumnsConcurrentAtomicPartitionedSelfTest.testAddColumnCoordinatorChange (fail rate 2,0%)
- ❑ IgniteBinaryCacheQueryTestSuite2: DynamicColumnsConcurrentAtomicReplicatedSelfTest.testConcurrentOperationsAndNodeStartStopMultithreaded (fail rate 2,0%)
- ❑ IgniteBinaryCacheQueryTestSuite2: DynamicColumnsConcurrentTransactionalReplicatedSelfTest.testAddColumnCoordinatorChange (fail rate 2,0%)

#### ❑ [Client Nodes](#) [ [tests 8](#) ]

- ❑ [2] IgniteClientNodesTestSuite: IgniteClientReconnectContinuousProcessorTest.testMessageListenerReconnectAndStopFromServer (fail rate 12,0%)
- ❑ [2] IgniteClientNodesTestSuite: IgniteClientReconnectContinuousProcessorTest.testMessageListenerReconnectAndStopFromClient (fail rate 10,0%)
- ❑ [3] IgniteClientNodesTestSuite: IgniteCacheClientReconnectTest.testClientReconnectOnExchangeHistoryExhaustion (fail rate 8,0%)
- ❑ IgniteClientNodesTestSuite: IgniteClientReconnectFailoverTest.testReconnectStreamerApi (fail rate 6,0%)
- ❑ [2] IgniteClientNodesTestSuite: IgniteClientConnectAfterCommunicationFailureTest.testClientReconnects (fail rate 4,0%)
- ❑ [2] IgniteClientNodesTestSuite: IgniteCacheClientReconnectTest.testClientInForceServerModeStopsOnExchangeHistoryExhaustion (fail rate 4,0%)



- IgniteClientNodesTestSuite: IgniteClientReconnectApiExceptionTest.testErrorOnDisconnect [\(fail rate 2,0%\)](#)
- IgniteClientNodesTestSuite: IgniteClientReconnectContinuousProcessorTest.testCacheContinuousQueryReconnectNewServer [\(fail rate 2,0%\)](#)
- [Binary Objects](#) [ [tests 5](#) ]
  - [6] IgniteBinaryObjectsTestSuite: GridCacheBinaryObjectMetadataExchangeMultinodeTest.testReadRequestBlockedOnUpdatingMetadata [\(fail rate 22,0%\)](#)
  - [5] IgniteBinaryObjectsTestSuite: BinaryMetadataUpdatesFlowTest.testFlowNoConflictsWithClients [\(fail rate 14,0%\)](#)
  - [4] IgniteBinaryObjectsTestSuite: GridCacheClientNodeBinaryObjectMetadataMultinodeTest.testClientMetadataInitialization [\(fail rate 12,0%\)](#)
  - [4] IgniteBinaryObjectsTestSuite: GridCacheClientNodeBinaryObjectMetadataMultinodeTest.testClientStartsFirst [\(fail rate 12,0%\)](#)
  - IgniteBinaryObjectsTestSuite: BinaryMetadataUpdatesFlowTest.testFlowNoConflicts [\(fail rate 4,0%\)](#)
- [Platform C++ \(Linux\)](#) [ [tests 2 TIMEOUT](#), [Exit Code \[3\]](#) ] [Critical F.R.: 2,0%](#)
  - IgniteOdbcTest: QueriesTestSuite: TestInsertBatchSelect2048 [\(fail rate 4,0%\)](#)
  - IgniteCoreTest: CacheQueryTestSuite: TestSqlFieldsQueryDistributedJoins [\(fail rate 0,0%\)](#)
- [Continuous Query 2](#) [ [tests 3](#) ]
  - IgniteCacheQuerySelfTestSuite4: CacheContinuousQueryFailoverAtomicSelfTest.testOneBackupClientUpdate [\(fail rate 2,0%\)](#)
  - IgniteCacheQuerySelfTestSuite4: CacheContinuousQueryFailoverTxReplicatedSelfTest.testOneBackup [\(fail rate 2,0%\)](#)
  - IgniteCacheQuerySelfTestSuite4: CacheContinuousQueryFailoverTxSelfTest.testOneBackup [\(fail rate 2,0%\)](#)
- [Platform .NET \(Core Linux\)](#) [ [tests 6](#) ]
  - [10] dll: IgniteConfigurationTest.TestSpringXml [\(fail rate 20,0%\)](#)
  - dll: PersistenceTest.TestWalDisableEnable [\(fail rate 8,0%\)](#)
  - dll: CacheQueriesTest.TestScanQueryBinary(True) [\(fail rate 6,0%\)](#)
  - dll: CacheQueriesTest.SimpleName.TestScanQueryBinary(False) [\(fail rate 6,0%\)](#)
  - dll: ClientConnectionTest.TestServerConnectionAborted [\(fail rate 6,0%\)](#)
  - [2] dll: IgniteConfigurationTest.TestMulticastIpFinder [\(fail rate 4,0%\)](#)
- ✖ ■ [Scala \(Visor Console\)](#) [ [tests 1 TIMEOUT \[3\]](#), [Exit Code \[3\]](#) ] [Critical F.R.: 6,0%](#)
  - VisorConsoleSelfTestSuite: VisorActivationCommandSpec.A 'top' visor command for cluster activation should deactivate cluster [\(fail rate 2,0%\)](#)
- [Compute \(Affinity Run\)](#) [ [tests 0 TIMEOUT](#), [Exit Code](#) ] [Critical F.R.: 6,0%](#)
- [Compute \(Grid\)](#) [ [tests 5](#) ]
  - [3] IgniteBinaryObjectsComputeGridTestSuite: GridMultithreadedJobStealingSelfTest.testJoinedNodeCanStealJobs [\(fail rate 10,0%\)](#)
  - IgniteBinaryObjectsComputeGridTestSuite: GridEventStorageCheckAllEventsSelfTest.testFailoverJobTask [\(fail rate 4,0%\)](#)
  - IgniteBinaryObjectsComputeGridTestSuite: GridJobStealingSelfTest.testProjectionPredicateDifferentClassLoaders [\(fail rate 4,0%\)](#)
  - IgniteBinaryObjectsComputeGridTestSuite: GridTaskTimeoutSelfTest.testAsynchronousTimeout [\(fail rate 4,0%\)](#)

- IgniteBinaryObjectsComputeGridTestSuite: GridSessionLoadSelfTest.testSessionLoadNoLocalMarshalling ([fail rate 4,0%](#))
  
- ▣ [Streamers](#) [ [tests 4](#) ]
  - [5] IgniteKafkaStreamerSelfTestSuite: IgniteSinkConnectorTest.testSinkPutsWithoutTransformation ([fail rate 12,0%](#))
  - [4] IgniteKafkaStreamerSelfTestSuite: IgniteSinkConnectorTest.testSinkPutsWithTransformation ([fail rate 10,0%](#))
  - [3] IgniteKafkaStreamerSelfTestSuite: KafkaIgniteStreamerSelfTest.testKafkaStreamer ([fail rate 8,0%](#))
  - [2] IgniteStormStreamerSelfTestSuite: StormIgniteStreamerSelfTest.testStormStreamerIgniteBolt ([fail rate 4,0%](#))
  
- ▣ [PDS \(Compatibility\)\\*](#) [ [tests 3](#) ]
  - [4] IgniteCompatibilityBasicTestSuite: PersistenceBasicCompatibilityTest.testNodeStartByOldVersionPersistenceData\_2\_3 ([fail rate 10,0%](#))
  - [2] IgniteCompatibilityBasicTestSuite: PersistenceBasicCompatibilityTest.testNodeStartByOldVersionPersistenceData\_2\_2 ([fail rate 6,0%](#))
  - [2] IgniteCompatibilityBasicTestSuite: PersistenceBasicCompatibilityTest.testNodeStartByOldVersionPersistenceData\_2\_1 ([fail rate 4,0%](#))
  
- ▣ [Cache \(Failover\) 1](#) [ [tests 4](#) ]
  - [6] IgniteCacheFailoverTestSuite: IgniteCacheTxNearDisabledPutGetRestartTest.testTxPutGetRestart ([fail rate 16,0%](#))
  - IgniteCacheFailoverTestSuite: IgniteAtomicLongChangingTopologySelfTest.testClientQueueCreateCloseFailover ([fail rate 2,0%](#))
  - IgniteCacheFailoverTestSuite: IgniteChangingBaselineDownCacheRemoveFailoverTest.testPutAndRemove ([fail rate 2,0%](#))
  - IgniteCacheFailoverTestSuite: IgniteChangingBaselineDownCacheRemoveFailoverTest.testPutAndRemovePessimisticTx ([fail rate 2,0%](#))
  
- ▣ [Thin client: Node.js](#) [ [tests 97 Exit Code](#) ]
  - sql query test suite >: execute examples >: CachePutGetExample ([fail rate 100,0%](#))
  
  - sql query test suite >: execute examples >: SqlExample ([fail rate 100,0%](#))
  
  - sql query test suite >: execute examples >: SqlQueryEntriesExample ([fail rate 100,0%](#))
  
  - [4] execute auth example >: AuthTlsExample ([fail rate 13,3%](#))
  - [2] binary object test suite >: binary object remove field ([fail rate 4,4%](#))
  - [2] binary object test suite >: binary objects of different schemas ([fail rate 4,4%](#))
  - [2] binary object test suite >: binary objects set get fields ([fail rate 4,4%](#))
  - [2] cache put get test suite >: put get arrays of different types ([fail rate 4,4%](#))
  - cache configuration operations test suite >: create cache ([fail rate 2,2%](#))
  - cache configuration operations test suite >: create cache twice ([fail rate 2,2%](#))
  - cache configuration operations test suite >: create cache with configuration ([fail rate 2,2%](#))
  - cache configuration operations test suite >: create cache with wrong args ([fail rate 2,2%](#))
  - cache configuration operations test suite >: destroy cache ([fail rate 2,2%](#))
  - cache configuration operations test suite >: get cache names ([fail rate 2,2%](#))
  - cache configuration operations test suite >: get cache with wrong args ([fail rate 2,2%](#))
  - cache configuration operations test suite >: get or create cache ([fail rate 2,2%](#))

- ❑ cache configuration operations test suite >: get or create cache with wrong args [\(fail rate 2,2%\)](#)
- ❑ cache key value operations test suite >: clear [\(fail rate 2,2%\)](#)
- ❑ cache key value operations test suite >: clearKey [\(fail rate 2,2%\)](#)
- ❑ cache key value operations test suite >: clearKey wrong args [\(fail rate 2,2%\)](#)
- ❑ cache key value operations test suite >: clearKeys [\(fail rate 2,2%\)](#)
- ❑ cache key value operations test suite >: clearKeys wrong args [\(fail rate 2,2%\)](#)
- ❑ cache key value operations test suite >: containsKey [\(fail rate 2,2%\)](#)
- ❑ cache key value operations test suite >: containsKey wrong args [\(fail rate 2,2%\)](#)
- ❑ cache key value operations test suite >: containsKeys [\(fail rate 2,2%\)](#)
- ❑ cache key value operations test suite >: containsKeys wrong args [\(fail rate 2,2%\)](#)
- ❑ cache key value operations test suite >: get [\(fail rate 2,2%\)](#)
- ❑ cache key value operations test suite >: get wrong args [\(fail rate 2,2%\)](#)
- ❑ cache key value operations test suite >: getAll [\(fail rate 2,2%\)](#)
- ❑ cache key value operations test suite >: getAll wrong args [\(fail rate 2,2%\)](#)
- ❑ cache key value operations test suite >: getAndPut [\(fail rate 2,2%\)](#)
- ❑ cache key value operations test suite >: getAndPut wrong args [\(fail rate 2,2%\)](#)
- ❑ cache key value operations test suite >: getAndPutIfAbsent [\(fail rate 2,2%\)](#)
- ❑ cache key value operations test suite >: getAndPutIfAbsent wrong args [\(fail rate 2,2%\)](#)
- ❑ cache key value operations test suite >: getAndRemove [\(fail rate 2,2%\)](#)
- ❑ cache key value operations test suite >: getAndRemove wrong args [\(fail rate 2,2%\)](#)
- ❑ cache key value operations test suite >: getAndReplace [\(fail rate 2,2%\)](#)
- ❑ cache key value operations test suite >: getAndReplace wrong args [\(fail rate 2,2%\)](#)
- ❑ cache key value operations test suite >: getSize [\(fail rate 2,2%\)](#)
- ❑ cache key value operations test suite >: getSize wrong args [\(fail rate 2,2%\)](#)
- ❑ cache key value operations test suite >: put [\(fail rate 2,2%\)](#)
- ❑ cache key value operations test suite >: put wrong args [\(fail rate 2,2%\)](#)
- ❑ cache key value operations test suite >: putAll [\(fail rate 2,2%\)](#)
- ❑ cache key value operations test suite >: putAll wrong args [\(fail rate 2,2%\)](#)
- ❑ cache key value operations test suite >: putIfAbsent [\(fail rate 2,2%\)](#)
- ❑ cache key value operations test suite >: putIfAbsent wrong args [\(fail rate 2,2%\)](#)
- ❑ cache key value operations test suite >: removeAll [\(fail rate 2,2%\)](#)
- ❑ cache key value operations test suite >: removeIfEquals [\(fail rate 2,2%\)](#)
- ❑ cache key value operations test suite >: removeIfEquals wrong args [\(fail rate 2,2%\)](#)
- ❑ cache key value operations test suite >: removeKey [\(fail rate 2,2%\)](#)
- ❑ cache key value operations test suite >: removeKey wrong args [\(fail rate 2,2%\)](#)
- ❑ cache key value operations test suite >: removeKeys [\(fail rate 2,2%\)](#)
- ❑ cache key value operations test suite >: removeKeys wrong args [\(fail rate 2,2%\)](#)
- ❑ cache key value operations test suite >: replace [\(fail rate 2,2%\)](#)
- ❑ cache key value operations test suite >: replace wrong args [\(fail rate 2,2%\)](#)

<input type="checkbox"/> cache key value operations test suite >: replaceIfEquals	<a href="#">(fail rate 2,2%)</a>
<input type="checkbox"/> cache key value operations test suite >: replaceIfEquals wrong args	<a href="#">(fail rate 2,2%)</a>
<input type="checkbox"/> cache put get test suite >: put get lists of different key/value types	<a href="#">(fail rate 2,2%)</a>
<input type="checkbox"/> cache put get test suite >: put get maps of different key/value types	<a href="#">(fail rate 2,2%)</a>
<input type="checkbox"/> cache put get test suite >: put get maps with arrays of different types	<a href="#">(fail rate 2,2%)</a>
<input type="checkbox"/> cache put get test suite >: put get object array of binary objects	<a href="#">(fail rate 2,2%)</a>
<input type="checkbox"/> cache put get test suite >: put get object array of complex objects	<a href="#">(fail rate 2,2%)</a>
<input type="checkbox"/> cache put get test suite >: put get object array of complex objects with default field types	<a href="#">(fail rate 2,2%)</a>
<input type="checkbox"/> cache put get test suite >: put get object array of lists	<a href="#">(fail rate 2,2%)</a>
<input type="checkbox"/> cache put get test suite >: put get object array of maps	<a href="#">(fail rate 2,2%)</a>
<input type="checkbox"/> cache put get test suite >: put get object array of object arrays	<a href="#">(fail rate 2,2%)</a>
<input type="checkbox"/> cache put get test suite >: put get object array of primitive arrays	<a href="#">(fail rate 2,2%)</a>
<input type="checkbox"/> cache put get test suite >: put get object array of primitive types	<a href="#">(fail rate 2,2%)</a>
<input type="checkbox"/> cache put get test suite >: put get object array of sets	<a href="#">(fail rate 2,2%)</a>
<input type="checkbox"/> cache put get test suite >: put get primitive values of different types	<a href="#">(fail rate 2,2%)</a>
<input type="checkbox"/> cache put get test suite >: put get sets of different key/value types	<a href="#">(fail rate 2,2%)</a>
<input type="checkbox"/> complex object test suite >: put get binary objects from objects	<a href="#">(fail rate 2,2%)</a>
<input type="checkbox"/> complex object test suite >: put get complex objects	<a href="#">(fail rate 2,2%)</a>
<input type="checkbox"/> complex object test suite >: put get complex objects with arrays	<a href="#">(fail rate 2,2%)</a>
<input type="checkbox"/> complex object test suite >: put get complex objects with maps	<a href="#">(fail rate 2,2%)</a>
<input type="checkbox"/> complex object test suite >: put get unnamed complex objects	<a href="#">(fail rate 2,2%)</a>
<input type="checkbox"/> scan query test suite >: close cursor	<a href="#">(fail rate 2,2%)</a>
<input type="checkbox"/> scan query test suite >: close cursor after get all	<a href="#">(fail rate 2,2%)</a>
<input type="checkbox"/> scan query test suite >: get all	<a href="#">(fail rate 2,2%)</a>
<input type="checkbox"/> scan query test suite >: get all with page size	<a href="#">(fail rate 2,2%)</a>
<input type="checkbox"/> scan query test suite >: get value	<a href="#">(fail rate 2,2%)</a>
<input type="checkbox"/> scan query test suite >: get value with page size	<a href="#">(fail rate 2,2%)</a>
<input type="checkbox"/> scan query test suite >: scan empty cache	<a href="#">(fail rate 2,2%)</a>
<input type="checkbox"/> scan query test suite >: scan query settings	<a href="#">(fail rate 2,2%)</a>
<input type="checkbox"/> sql fields query test suite >: close cursor	<a href="#">(fail rate 2,2%)</a>
<input type="checkbox"/> sql fields query test suite >: close cursor after get all	<a href="#">(fail rate 2,2%)</a>
<input type="checkbox"/> sql fields query test suite >: get all	<a href="#">(fail rate 2,2%)</a>
<input type="checkbox"/> sql fields query test suite >: get all with page size	<a href="#">(fail rate 2,2%)</a>
<input type="checkbox"/> sql fields query test suite >: get empty results	<a href="#">(fail rate 2,2%)</a>
<input type="checkbox"/> sql fields query test suite >: get value	<a href="#">(fail rate 2,2%)</a>
<input type="checkbox"/> sql fields query test suite >: get value with page size	<a href="#">(fail rate 2,2%)</a>
<input type="checkbox"/> sql fields query test suite >: sql fields query settings	<a href="#">(fail rate 2,2%)</a>
<input type="checkbox"/> sql query test suite >: close cursor	<a href="#">(fail rate 2,2%)</a>
<input type="checkbox"/> sql query test suite >: get all	<a href="#">(fail rate 2,2%)</a>

- sql query test suite >: get all with page size [\(fail rate 2,2%\)](#)
- sql query test suite >: get value [\(fail rate 2,2%\)](#)
- sql query test suite >: get value with page size [\(fail rate 2,2%\)](#)

**✘**  [JDBC Driver](#) [ [tests 32 Exit Code \[3\]](#) ]

- IgniteJdbcDriverTestSuite: JdbcThinBulkLoadAtomicPartitionedNearSelfTest.testDefaultCharset [\(fail rate 2,0%\)](#)
- IgniteJdbcDriverTestSuite: JdbcThinBulkLoadAtomicPartitionedNearSelfTest.testDefaultCharsetPacketSize1 [\(fail rate 2,0%\)](#)
- IgniteJdbcDriverTestSuite: JdbcThinBulkLoadAtomicPartitionedNearSelfTest.testUtf8Charset [\(fail rate 2,0%\)](#)
- IgniteJdbcDriverTestSuite: JdbcThinBulkLoadAtomicPartitionedNearSelfTest.testWin1251Charset [\(fail rate 2,0%\)](#)
- IgniteJdbcDriverTestSuite: JdbcThinBulkLoadAtomicPartitionedNearSelfTest.testWrongCharset\_ Utf8AsAscii [\(fail rate 2,0%\)](#)
- IgniteJdbcDriverTestSuite: JdbcThinBulkLoadAtomicPartitionedNearSelfTest.testWrongCharset\_ Utf8AsWin1251 [\(fail rate 2,0%\)](#)
- IgniteJdbcDriverTestSuite: JdbcThinBulkLoadAtomicPartitionedNearSelfTest.testWrongCharset\_ Win1251AsAscii [\(fail rate 2,0%\)](#)
- IgniteJdbcDriverTestSuite: JdbcThinBulkLoadAtomicPartitionedNearSelfTest.testWrongCharset\_ Win1251AsUtf8 [\(fail rate 2,0%\)](#)
- IgniteJdbcDriverTestSuite: JdbcThinBulkLoadAtomicPartitionedSelfTest.testDefaultCharset [\(fail rate 2,0%\)](#)
- IgniteJdbcDriverTestSuite: JdbcThinBulkLoadAtomicPartitionedSelfTest.testDefaultCharsetPacketSize1 [\(fail rate 2,0%\)](#)
- IgniteJdbcDriverTestSuite: JdbcThinBulkLoadAtomicPartitionedSelfTest.testUtf8Charset [\(fail rate 2,0%\)](#)
- IgniteJdbcDriverTestSuite: JdbcThinBulkLoadAtomicPartitionedSelfTest.testWin1251Charset [\(fail rate 2,0%\)](#)
- IgniteJdbcDriverTestSuite: JdbcThinBulkLoadAtomicPartitionedSelfTest.testWrongCharset\_ Utf8AsAscii [\(fail rate 2,0%\)](#)
- IgniteJdbcDriverTestSuite: JdbcThinBulkLoadAtomicPartitionedSelfTest.testWrongCharset\_ Utf8AsWin1251 [\(fail rate 2,0%\)](#)
- IgniteJdbcDriverTestSuite: JdbcThinBulkLoadAtomicPartitionedSelfTest.testWrongCharset\_ Win1251AsAscii [\(fail rate 2,0%\)](#)
- IgniteJdbcDriverTestSuite: JdbcThinBulkLoadAtomicPartitionedSelfTest.testWrongCharset\_ Win1251AsUtf8 [\(fail rate 2,0%\)](#)
- IgniteJdbcDriverTestSuite: JdbcThinBulkLoadTransactionalPartitionedNearSelfTest.testDefaultCharset [\(fail rate 2,0%\)](#)
- IgniteJdbcDriverTestSuite: JdbcThinBulkLoadTransactionalPartitionedNearSelfTest.testDefaultCharsetPacketSize1 [\(fail rate 2,0%\)](#)
- IgniteJdbcDriverTestSuite: JdbcThinBulkLoadTransactionalPartitionedNearSelfTest.testUtf8Charset [\(fail rate 2,0%\)](#)
- IgniteJdbcDriverTestSuite: JdbcThinBulkLoadTransactionalPartitionedNearSelfTest.testWin1251Charset [\(fail rate 2,0%\)](#)
- IgniteJdbcDriverTestSuite: JdbcThinBulkLoadTransactionalPartitionedNearSelfTest.testWrongCharset\_ Utf8AsAscii [\(fail rate 2,0%\)](#)
- IgniteJdbcDriverTestSuite: JdbcThinBulkLoadTransactionalPartitionedNearSelfTest.testWrongCharset\_ Utf8AsWin1251 [\(fail rate 2,0%\)](#)
- IgniteJdbcDriverTestSuite: JdbcThinBulkLoadTransactionalPartitionedNearSelfTest.testWrongCharset\_ Win1251AsAscii [\(fail rate 2,0%\)](#)
- IgniteJdbcDriverTestSuite: JdbcThinBulkLoadTransactionalPartitionedNearSelfTest.testWrongCharset\_ Win1251AsUtf8 [\(fail rate 2,0%\)](#)
- IgniteJdbcDriverTestSuite: JdbcThinBulkLoadTransactionalPartitionedSelfTest.testDefaultCharset [\(fail rate 2,0%\)](#)
- IgniteJdbcDriverTestSuite: JdbcThinBulkLoadTransactionalPartitionedSelfTest.testDefaultCharsetPacketSize1 [\(fail rate 2,0%\)](#)
- IgniteJdbcDriverTestSuite: JdbcThinBulkLoadTransactionalPartitionedSelfTest.testUtf8Charset [\(fail rate 2,0%\)](#)
- IgniteJdbcDriverTestSuite: JdbcThinBulkLoadTransactionalPartitionedSelfTest.testWin1251Charset [\(fail rate 2,0%\)](#)
- IgniteJdbcDriverTestSuite: JdbcThinBulkLoadTransactionalPartitionedSelfTest.testWrongCharset\_ Utf8AsAscii [\(fail rate 2,0%\)](#)
- IgniteJdbcDriverTestSuite: JdbcThinBulkLoadTransactionalPartitionedSelfTest.testWrongCharset\_ Utf8AsWin1251 [\(fail rate 2,0%\)](#)
- IgniteJdbcDriverTestSuite: JdbcThinBulkLoadTransactionalPartitionedSelfTest.testWrongCharset\_ Win1251AsAscii [\(fail rate 2,0%\)](#)
- IgniteJdbcDriverTestSuite: JdbcThinBulkLoadTransactionalPartitionedSelfTest.testWrongCharset\_ Win1251AsUtf8 [\(fail rate 2,0%\)](#)

[IGFS](#) [ [tests 0 Exit Code \[3\]](#) ]



- ❑ [Cache \(Failover SSL\)](#) [ [tests 1 TIMEOUT](#) , [Exit Code](#) ] Critical F.R.:  
2,0%  
(fail rate 6,0%)
  - ❑ IgniteCacheFailoverTestSuiteSsl: IgniteCacheSslStartStopSelfTest.testPutAll
- ❑ [Java Thin Client](#) [ [tests 1 Exit Code \[2\]](#) ] (fail rate 10,0%)
  - ❑ [4] ClientTestSuite: ReliabilityTest.testFailover
- ❑ [Cache \(Expiry Policy\)](#) [ [tests 2](#) ] (fail rate 2,0%)  
(fail rate 2,0%)
  - ❑ IgniteCacheExpiryPolicyTestSuite: IgniteCacheExpireAndUpdateConsistencyTest.testTx1
  - ❑ IgniteCacheExpiryPolicyTestSuite: IgniteCacheTxExpiryPolicyWithStoreTest.testGetReadThrough
- ❑ [Cache \(Failover\) 3](#) [ [tests 2](#) ] (fail rate 6,0%)  
(fail rate 2,0%)
  - ❑ [3] IgniteCacheFailoverTestSuite3: IgniteCachePutRetryAtomicSelfTest.testPutAll
  - ❑ IgniteCacheFailoverTestSuite3: IgniteCachePutRetryAtomicSelfTest.testInvoke
- ❑ [Spring \(Data\)](#) [ [tests 0 Exit Code \[4\]](#) ]
- ❑ [Memory Leaks](#) [ [tests 1 Exit Code \[2\]](#) ] (fail rate 4,0%)
  - ❑ IgniteDbMemoryLeakTestSuite: IgniteDbMemoryLeakWithExpirationTest.testMemoryLeak
- ❑ [Spring](#) [ [tests 1](#) ] (fail rate 6,0%)
  - ❑ IgniteSpringTestSuite: GridFactorySelfTest.testConcurrentStartStopDefaultGrid
- ❑ [Scala \(Examples\)](#) [ [tests 4](#) ] (fail rate 2,0%)  
(fail rate 2,0%)  
(fail rate 2,0%)  
(fail rate 2,0%)
  - ❑ ScalarSelfTestSuite: ScalarProjectionSpec.ScalarProjectionPimp class should return all nodes
  - ❑ ScalarSelfTestSuite: ScalarProjectionSpec.ScalarProjectionPimp class should return all remote nodes
  - ❑ ScalarSelfTestSuite: ScalarProjectionSpec.ScalarProjectionPimp class should return shown nodes
  - ❑ ScalarSelfTestSuite: ScalarProjectionSpec.ScalarProjectionPimp class should return shown remote nodes
- ❑ [Geospatial Indexing](#) [ [tests 0 Exit Code](#) ]
- ❑ [Hibernate 2](#) [ [tests 0 Exit Code](#) ]
- ❑ [Cache \(Tx Recovery\)](#) [ [tests 1](#) ] (fail rate 2,0%)
  - ❑ IgniteCacheTxRecoverySelfTestSuite: IgniteCacheCommitDelayTxRecoveryTest.testRecoveryStoreEnabled2
- ❑ [JTA](#) [ [tests 0 Exit Code](#) ]

▣ [ML](#) [ [tests 0 Exit Code \[2\]](#) ]

▣ [Kubernetes](#) [ [tests 0 Exit Code](#) ]

▣ [AOP](#) [ [tests 0 Exit Code](#) ]

▣ [Continuous Query\\_\(Config Variations\)](#) [ [tests 1](#) ]

▣ IgniteContinuousQueryConfigVariationsSuite: CacheContinuousQueryVariationsTest.testRandomOperationJCacheApiAsyncCallback ([fail rate 2,0%](#))

▣ [JCache TCK\\*](#) [ [tests 0 Exit Code \[30\]](#) ]

[report mode](#)

Ignite TC helper, V20180713, [source code \(GitHub\)](#). Powered by  [Apache Ignite](#) V2.6.0