## KIP-414: Expose Embedded ClientIds in Kafka Streams

- Status
- Motivation
- Public Interfaces
- Proposed Changes
- Compatibility, Deprecation, and Migration Plan
- Rejected Alternatives

### **Status**

Current state: Adopted (2.2.0)
Discussion thread: TBD

JIRA: KAFKA-7798

Please keep the discussion on the mailing list rather than commenting on the wiki (wiki discussions get unwieldy fast).

#### Motivation

Today Kafka Streams embedded a few lower-level producer, consumer, and admin clients inside itself:

- A consumer client per-thread.
- A restore consumer client per-thread.
- A shared admin client per-instance.
- A producer client per-thread if EOS is turn off; otherwise a producer client per-task.

This KIP proposes to expose these embedded client's ids via the ThreadMetadata. Those clientIds are useful in a number of ways:

- KafkaStreams#metrics() includes all the metrics from its embedded clients, and are organized by MetricName's group (producer, consumer, admin) and tags (clientIds); knowing the clientIds helps to quickly find the corresponding metric from the map.
- When some of the threads have failed due to unexpected error, their embedded clients may also shutdown and be notifying the users; knowing the ids helps with such trouble shooting scenarios.
- Correlated to KIP-345, exposing the consumer client's id is useful for managing static consumer members in operations like scale-in.
- etc

### **Public Interfaces**

```
public class ThreadMetadata {
    public String consumerClientId() {
        return mainConsumerClientId;
    }

    public String restoreConsumerClientId() {
        return restoreConsumerClientId;
    }

    // NOTE: without EOS it should be a singleton; otherwise it is one clientId per owned active task public Set<String> producerClientIds() {
        return producerClientIds;
    }

    public String adminClientId() {
        return adminClientId;
    }

    // ... other APIs
}
```

# **Proposed Changes**

As above.

# Compatibility, Deprecation, and Migration Plan

• This KIP only adds a few util functions into ThreadMetadata, and hence has no impact on compatibility.

## Rejected Alternatives

None.