

# LanguageManual Commands

Commands are non-SQL statements such as setting a property or adding a resource. They can be used in HiveQL scripts or directly in the [CLI](#) or [Beeline](#).

Command	Description
quit exit	Use quit or exit to leave the interactive shell.
reset	Resets the configuration to the default values (as of Hive 0.10: see <a href="#">HIVE-3202</a> ). Any configuration parameters that were set using the set command or -hiveconf parameter in hive commandline will get reset to default value.  Note that this does not apply to configuration parameters that were set in set command using the "hiveconf:" prefix for the key name (for historic reasons).
set <key>=<value>	Sets the value of a particular configuration variable (key). <b>Note:</b> If you misspell the variable name, the CLI will not show an error.
set	Prints a list of configuration variables that are overridden by the user or Hive.
set -v	Prints all Hadoop and Hive configuration variables.
add FILE[S] <filepath> <filepath>* add JAR[S] <filepath> <filepath>* add ARCHIVE[S] <filepath> <filepath>*	Adds one or more files, jars, or archives to the list of resources in the distributed cache. See <a href="#">Hive Resources</a> for more information.
add FILE[S] <ivyurl> <ivyurl>* add JAR[S] <ivyurl> <ivyurl> add ARCHIVE[S]<ivyurl> <ivyurl>*	As of <a href="#">Hive 1.2.0</a> , adds one or more files, jars or archives to the list of resources in the distributed cache using an ivy URL of the form ivy://group:module:version?query_string. See <a href="#">Hive Resources</a> for more information.
list FILE[S] list JAR[S] list ARCHIVE[S]	Lists the resources already added to the distributed cache. See <a href="#">Hive Resources</a> for more information.
list FILE[S] <filepath>* list JAR[S] <filepath>* list ARCHIVE[S] <filepath>*	Checks whether the given resources are already added to the distributed cache or not. See <a href="#">Hive Resources</a> for more information.
delete FILE[S] <filepath>* delete JAR[S] <filepath>* delete ARCHIVE[S] <filepath>*	Removes the resource(s) from the distributed cache.
delete FILE[S] <ivyurl> <ivyurl>* delete JAR[S] <ivyurl> <ivyurl>* delete ARCHIVE[S] <ivyurl> <ivyurl>*	As of <a href="#">Hive 1.2.0</a> , removes the resource(s) which were added using the <ivyurl> from the distributed cache. See <a href="#">Hive Resources</a> for more information.
! <command>	Executes a shell command from the Hive shell.
dfs <dfs command>	Executes a dfs command from the Hive shell.
<query string>	Executes a Hive query and prints results to standard output.
source FILE <filepath>	Executes a script file inside the CLI.
compile `<groovy string>` AS GROOVY NAMED <name>	This allows inline Groovy code to be compiled and be used as a UDF (as of Hive 0.13.0). For a usage example, see <a href="#">Nov . 2013 Hive Contributors Meetup Presentations – Using Dynamic Compilation with Hive</a> .

Sample Usage:

```
hive> set mapred.reduce.tasks=32;
hive> set;
hive> select a.* from tab1;
hive> !ls;
hive> dfs -ls;
```