

KIP-309: Add toUpperCase support to sasl.kerberos.principal.to.local rule

- [Status](#)
- [Motivation](#)
- [Proposed Changes](#)
- [Compatibility, Deprecation, and Migration Plan](#)
- [Rejected Alternatives](#)

Status

Current state: "Accepted"

Discussion thread: [here](#)

JIRA: [here](#)

Please keep the discussion on the mailing list rather than commenting on the wiki (wiki discussions get unwieldy fast).

Motivation

KIP-203 implemented support to convert Kerberos principal name to lower case Linux user name via auth_to_local rules. As a follow-up, KafkaShortnamer can be further extended to allow converting principal names to uppercase by appending /U to the rule.

One use-case is given here:



Unable to render Jira issues macro, execution error.

Proposed Changes

We propose to extend "sasl.kerberos.principal.to.local.rules" config rule format/syntax by supporting an optional "/U" (toUpperCase) at the end of the rule. Since usernames are locale insensitive strings, we propose to use Locale.ENGLISH for the case conversion

For example, given the rules

```
"RULE:[2:$1@$0](JOE-QA-.*@EXAMPLE.COM)s/.*/joe-qa//U",  
"RULE:[2:$1@$0](joe-qa-.*@EXAMPLE.COM)s/.*/joe-qa//U",  
"RULE:[2:$1@$0](.*@EXAMPLE.COM)s/@.*///U"
```

```
If the source string is JOE-QA-cll/host@EXAMPLE.COM, the result will be JOE-QA  
If the source string is joe-qa-cll/host@EXAMPLE.COM, the result will be JOE-QA  
If the source string is joe_user/host@EXAMPLE.COM, the result will be JOE-USER  
If the source string is JOE_user/host@EXAMPLE.COM, the result will be JOE-USER
```

Compatibility, Deprecation, and Migration Plan

- This is an extension to the existing [sasl.kerberos.principal.to.local.rules](#) format and there will be no impact on existing users.

Rejected Alternatives